

COLLECTION
20
20



 **AUTHOR**
BICYCLES



It often seems to me, that we are living in a particularly crazy time. That even if we do try hard, we do not really understand many things in their meaning and context. A sense for reality is slowly disappearing. Surprisingly, the form is more important than the content. Relationships between people, built for centuries, are inverted, and unwanted missionaries dictate their foolish thoughts.

Do you also feel that? If so, I am really relieved. We're probably normal. Which is not easy in our world.

A few years ago, everything was more straightforward, clearer and more understandable. Both, our lives and our work. I always ask, what has actually changed? Aren't we out of date and inadaptable to this postmodern world?

No, no, it's not that bad. Only our living and being got a bit entangled. So let's take it easy. Yes, everything is as complicated as we make it. Look at our „business“, for example. Things are different and there is little too much of everything. Customers are changing, products are overpowered, countless of suppliers... and number of brands... Oh, it can't be counted or not even remembered. But still, it's just a bike and just a cyclist who comes to us for goods, service or advice. Let's hold on to it. We have a nice job. You have beautiful shops and we do what not only nourishes us but we also enjoy it. It is not important what is now fashionable, but what has been proved for years. Honest work, professional prowess and good mind.

We also do the same with Author. There is no need to panic, to fear from the future, or to be under pressure from the word around. If we have a reason, courage and smile on our lips, we can achieve everything together! Let me use the English Oscar Wilde words:

“Live! Live that wonderful life, which is in you! Let nothing be lost upon you. Be always searching for new sensations. Be afraid of nothing.”

I wish you all the best my friends, and not just with the 2020 collection!

Martin Havlena



E-BIKES	ELECTRIC BIKES	8-23
ROAD	ROAD BIKES	24-29
GRAVEL	GRAVEL BIKES	30-39
MTB	MOUNTAIN BIKES	40-69
MTB ASL	LADIES MOUNTAIN BIKES	70-85
CROSS	CROSS BIKES	86-103
CROSS ASL	LADIES CROSS BIKES	104-111
CITY	CITY BIKES	112-115
JUNIOR	JUNIOR BIKES	116-143
PARTS & ACCESSORIES	PARTS & ACCESSORIES	144-186

BIKE RANGE

BIKE RANGE SCHEME

COLLECTION
20
20

"BIKE RANGE" scheme should make orientation in AUTHOR 2020 collection easier. This overview does not include all 2020 models, but only a selection from each category. For better clarity, we also introduce different frame platform types within the category. You can find all bike models further in this catalog or on web site www.author.eu.



E-BIKES - E-MTB

9-13



ELEVATION 29



ELEVATION ASL



ENGINE



E-BIKES - E-CROSS

14-17



EMPIRE



ESSENCE



E-BIKES - E-CITY

18-20



ELEMENT



ELAN



ROAD

25-28



GRAVEL

31-37



MTB 29

41-56



MTB 27.5

60-65



CHARISMA 77



RONIN SL



MAGNUM 29



TRACTION



AURA 55



AURA XR3



EGOIST 29



RIVAL



RIVAL 29



MTB 26

67-68



MTB 29 ASL

71-75



MTB 27.5 ASL

77-83



CROSS 29 / CROSS

87-101



OUTSET



SPIRIT 29 ASL



INSTINCT ASL



SYNERGY



UNICA



IMPULSE ASL



AIRLINE



INTEGRA



CROSS 29 ASL/CROSS ASL 105-110



CITY 113-115



JUNIOR 117-129



JUNIOR 130-140



AIRLINE ASL



VOYAGE



ULTRASONIC 27.5 | JUNIOR 27.5"



RECORD 20 | JUNIOR 20"



HORIZON ASL



GLORIA



CHAMPION 26 | JUNIOR 26"



BELLO | JUNIOR 16"



SIMPLEX



A-MATRIX SL | JUNIOR 24"

E-BIKES

ELECTRIC BIKES



SHIMANO
1x10

12x142

15x100



ELEVATION 29



FRAME	double butted hydroformed alloy 6061
--------------	--------------------------------------

FORK	RST F1RST 29 15 TRL (100 mm travel)
-------------	-------------------------------------

CHAINWHEEL	Shimano Steps E8000 (38 teeth)
-------------------	--------------------------------

REAR DERAILLEUR / SHIFTERS	Shimano Deore, 10 speed
-----------------------------------	-------------------------

MOTOR	Shimano Steps DUE-7000, 250 W
--------------	-------------------------------

BATTERY	Shimano BT-E8035 Li-Ion, 36 V, 14 Ah, 504 Wh
----------------	--

DISPLAY	LCD SC-E7000, 5 modes
----------------	-----------------------

BRAKES	TRP Slate 4 (7"), hydraulic, 4 piston
---------------	---------------------------------------

TIRES	Vittoria Barzo G2.0 kevlar 29" x 2.25"
--------------	--

WEIGHT	22.0 kg / 19"
---------------	---------------

SHIMANO
1x10

12x142

15x100



ELEVATION



FRAME	double butted hydroformed alloy 6061
FORK	RST F1RST 27.5 15 TRL (120 mm travel)
CHAINWHEEL	Shimano Steps E8000 (38 teeth)
REAR DERAILLEUR / SHIFTERS	Shimano Deore, 10 speed
MOTOR	Shimano Steps DUE-7000, 250 W

BATTERY	Shimano BT-E8035 Li-Ion, 36 V, 14 Ah, 504 Wh
DISPLAY	LCD SC-E7000, 5 modes
BRAKES	TRP Slate 4 (7"), hydraulic, 4 piston
TIRES	Vittoria Barzo G2.0 kevlar 27.5" x 2.25"
WEIGHT	22.0 kg / 19"

SHIMANO
1x10

12x142

15x100



ELEVATION ASL



FRAME	double butted hydroformed alloy 6061	BATTERY	Shimano BT-E8035 Li-Ion, 36 V, 14 Ah, 504 Wh
FORK	RST F1RST 27.5 15 TRL (120 mm travel)	DISPLAY	LCD SC-E7000, 5 modes
CHAINWHEEL	Shimano Steps E8000 (38 teeth)	BRAKES	TRP Slate 4 (7"), hydraulic, 4 piston
REAR DERAILLEUR / SHIFTERS	Shimano Deore, 10 speed	TIRES	Vittoria Barzo G2.0 kevlar 27.5" x 2.25"
MOTOR	Shimano Steps DUE-7000, 250 W	WEIGHT	22.0 kg / 17"



ENGINE 29



FRAME	double butted hydroformed alloy 6061
--------------	--------------------------------------

FORK	RST Aerial 29 TRL (100 mm travel)
-------------	-----------------------------------

CHAINWHEEL	Bafang (38 teeth)
-------------------	-------------------

REAR DERAILLEUR / SHIFTERS	Shimano Deore, 10 speed
-----------------------------------	-------------------------

MOTOR	Bafang Max Motor 420, 250 W
--------------	-----------------------------

BATTERY	Han-Win, 36 V, 14 Ah, 500 Wh
----------------	------------------------------

DISPLAY	LCD C18, 5 modes
----------------	------------------

BRAKES	Tektro M745 (7"), hydraulic, 4 piston
---------------	---------------------------------------

TIRES	Vittoria Barzo G2.0 kevlar 29" x 2.25"
--------------	--

WEIGHT	21.5 kg / 19"
---------------	---------------



ENGINE



FRAME	double butted hydroformed alloy 6061
--------------	--------------------------------------

FORK	RST Aerial 27.5 TRL (120 mm travel)
-------------	-------------------------------------

CHAINWHEEL	Bafang (38 teeth)
-------------------	-------------------

REAR DERAILLEUR / SHIFTERS	Shimano Deore, 10 speed
-----------------------------------	-------------------------

MOTOR	Bafang Max Motor 420, 250 W
--------------	-----------------------------

BATTERY	Han-Win, 36 V, 14 Ah, 500 Wh
----------------	------------------------------

DISPLAY	LCD C18, 5 modes
----------------	------------------

BRAKES	Tektro M745 (7"), hydraulic, 4 piston
---------------	---------------------------------------

TIRES	Vittoria Barzo G2.0 kevlar 27.5" x 2.25"
--------------	--

WEIGHT	21.5 kg / 19"
---------------	---------------

SHIMANO
1x10

EMPIRE



FRAME	double butted hydroformed alloy 6061
FORK	RST Viv Air E TRL (80 mm travel)
CHAINWHEEL	Shimano Steps E6010 (38 teeth)
REAR DERAILLEUR / SHIFTERS	Shimano Deore, 10 speed
MOTOR	Shimano Steps DUE-6100, 250 W

BATTERY	Shimano BT-E8010, 36 V, 14 Ah, 500 Wh
DISPLAY	LCD SC-E6100, 5 modes
BRAKES	Tektro Gemini (7"), hydraulic
TIRES	Author Speed Master 29" x 1.75"
WEIGHT	20.9 kg / 20"

SHIMANO
1x10

ENIGMA



FRAME	double butted hydroformed alloy 6061
--------------	--------------------------------------

FORK	RST VIV Air E TRL (80 mm travel)
-------------	----------------------------------

CHAINWHEEL	Shimano Steps E6010 (38 teeth)
-------------------	--------------------------------

REAR DERAILLEUR / SHIFTERS	Shimano Deore, 10 speed
-----------------------------------	-------------------------

MOTOR	Shimano Steps DUE-6100, 250 W
--------------	-------------------------------

BATTERY	Shimano BT-E8010, 36 V, 14 Ah, 500 Wh
----------------	---------------------------------------

DISPLAY	LCD SC-E6100, 5 modes
----------------	-----------------------

BRAKES	Tektro Gemini (7"), hydraulic
---------------	-------------------------------

TIRES	Author Speed Master 29" x 1.75"
--------------	---------------------------------

WEIGHT	20.9 kg / 17"
---------------	---------------



EDICT



FRAME	double butted hydroformed alloy 6061
FORK	RST ViV Air E TnL (80 mm travel)
CHAINWHEEL	Bafang (38 teeth)
REAR DERAILLEUR / SHIFTERS	Shimano Alivio, 9 speed
MOTOR	Bafang Max Motor 420, 250 W

BATTERY	Han-Win, 36 V, 14 Ah, 500 Wh
DISPLAY	LCD C18, 5 modes
BRAKES	Tektro Gemini (7"), hydraulic
TIRES	Author Speed Master 29" x 1.75"
WEIGHT	22.1 kg / 20"



ESSENCE



FRAME	double butted hydroformed alloy 6061
--------------	--------------------------------------

FORK	RST VIV Air E TnL (80 mm travel)
-------------	----------------------------------

CHAINWHEEL	Bafang (38 teeth)
-------------------	-------------------

REAR DERAILLEUR / SHIFTERS	Shimano Alivio, 9 speed
-----------------------------------	-------------------------

MOTOR	Bafang Max Motor 420, 250 W
--------------	-----------------------------

BATTERY	Han-Win, 36 V, 14 Ah, 500 Wh
----------------	------------------------------

DISPLAY	LCD C18, 5 modes
----------------	------------------

BRAKES	Tektro Gemini (7"), hydraulic
---------------	-------------------------------

TIRES	Author Speed Master 29" x 1.75"
--------------	---------------------------------

WEIGHT	19.9 kg / 17"
---------------	---------------



ELEMENT



FRAME	alloy 6061 700C
FORK	RST Nova TnL (60 mm travel)
CHAINWHEEL	Bafang (38 teeth)
REAR DERAILLEUR / SHIFTERS	Shimano Alivio, 9 speed
MOTOR	Bafang Max Motor 420, 250 W

BATTERY	Han-Win, 36 V, 14 Ah, 500 Wh
DISPLAY	LCD C18, 5 modes
BRAKES	Tektro Vela (6"), hydraulic
TIRES	700 x 40c
WEIGHT	23.5 kg / 20"



ELECTRA



FRAME	alloy 6061 700C
FORK	RST Nova TnL (60 mm travel)
CHAINWHEEL	Bafang (42 teeth)
REAR DERAILLEUR / SHIFTERS	Shimano Alivio, 9 speed
MOTOR	Bafang Max Motor 420, 250 W

BATTERY	Han-Win, 36 V, 14 Ah, 500 Wh
DISPLAY	LCD C18, 5 modes
BRAKES	Tektro Vela (6"), hydraulic
TIRES	700 × 40c
WEIGHT	23.8 kg / 17"



VARIANT [B]

ELAN

FRAME	alloy 6061 26"	BATTERY	Bafang Li-Ion, 43 V, 10.4 Ah, 450 Wh
FORK	RST Gila 26T (80 mm travel)	DISPLAY	LCD C13, 5 modes
CHAINWHEEL	Prowheel (38 teeth)	BRAKES	Tektro V
REAR DERAILLEUR / SHIFTERS	Shimano TX800 / Revoshift, 8 speed	TIRES	Classic Venice 26" × 2.00"
MOTOR	Bafang 250 W	WEIGHT	23.9 kg / 19"



MODEL	ELEVATION 29	ELEVATION	ELEVATION ASL	ENGINE 29	ENGINE
SIZE	17", 19", 21"	17", 19"	17", 19"	17", 19", 21"	17", 19"
FRAME	double butted hydroformed alloy 6061 29"	double butted hydroformed alloy 6061 27.5"	double butted hydroformed alloy 6061 27.5"	double butted hydroformed alloy 6061 29"	double butted hydroformed alloy 6061 27.5"
FRONT FORK	RST F1RST 29 15 TRL air, remote lock out 15 mm thru axle (100 mm)	RST F1RST 27.5 15 TRL air, remote lock out 15 mm thru axle (120 mm)	RST F1RST 27.5 15 TRL air, remote lock out 15 mm thru axle (120 mm)	RST Aerial 29 TRL air, remote lock out (100 mm)	RST Aerial 27.5 TRL air, remote lock out (120 mm)
ENGINE	SHIMANO Steps DUE-7000, 250 W	SHIMANO Steps DUE-7000, 250 W	SHIMANO Steps DUE-7000, 250 W	BAFANG Max Motor 420, 250 W	BAFANG Max Motor 420, 250 W
BATTERY	SHIMANO BT-E8035 Li-Ion, 36 V, 14 Ah, 500 Wh	SHIMANO BT-E8035 Li-Ion, 36 V, 14 Ah, 500 Wh	SHIMANO BT-E8035 Li-Ion, 36 V, 14 Ah, 500 Wh	Han-Win, 36 V, 14 Ah, 500 Wh	Han-Win, 36 V, 14 Ah, 500 Wh
DISPLAY	LCD SC-E7000	LCD SC-E7000	LCD SC-E7000	LCD C18	LCD C18
CHAINWHEEL	SHIMANO Steps E8000 38 teeth 170 / 175 mm cranks	SHIMANO Steps E8000 38 teeth 170 / 175 mm cranks	SHIMANO Steps E8000 38 teeth 170 / 175 mm cranks	BAFANG 38 teeth 170 / 175 mm cranks	BAFANG 38 teeth 170 / 175 mm cranks
FRONT DERAILLEUR	-	-	-	-	-
REAR DERAILLEUR	SHIMANO Deore	SHIMANO Deore	SHIMANO Deore	SHIMANO Deore	SHIMANO Deore
SHIFTERS	SHIMANO Deore (10)	SHIMANO Deore (10)	SHIMANO Deore (10)	SHIMANO Deore (10)	SHIMANO Deore (10)
FREEWHEEL	SHIMANO HG50-10 11-36 (10)	SHIMANO HG50-10 11-36 (10)	SHIMANO HG50-10 11-36 (10)	SHIMANO HG50-10 11-36 (10)	SHIMANO HG50-10 11-36 (10)
CHAIN	KMC e10T	KMC e10T	KMC e10T	KMC e10T	KMC e10T
HUBS	AUTHOR Helium 15 / Xenon 12 15 x 100 mm thru front axle 12 x 142 mm thru rear axle 32 holes	AUTHOR Helium 15 / Xenon 12 15 x 100 mm thru front axle 12 x 142 mm thru rear axle 32 holes	AUTHOR Helium 15 / Xenon 12 15 x 100 mm thru front axle 12 x 142 mm thru rear axle 32 holes	AUTHOR Xenon 32 holes	AUTHOR Xenon 32 holes
BRAKES	TRP Slate 4 disc hydraulic (7" rotors)	TRP Slate 4 disc hydraulic (7" rotors)	TRP Slate 4 disc hydraulic (7" rotors)	TEKTRO M745 disc hydraulic (7" rotors)	TEKTRO M745 disc hydraulic (7" rotors)
TIRES	VITTORIA Barzo G2.0 kevlar 29" x 2.25"	VITTORIA Barzo G2.0 kevlar 27.5" x 2.25"	VITTORIA Barzo G2.0 kevlar 27.5" x 2.25"	VITTORIA Barzo G2.0 kevlar 29" x 2.25"	VITTORIA Barzo G2.0 kevlar 27.5" x 2.25"
PEDALS	HT platmorm	HT platmorm	HT platmorm	HT platmorm	HT platmorm
SEAT POST	AUTHOR alloy (30.9)	AUTHOR alloy (30.9)	AUTHOR alloy (30.9)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)
SADDLE	AUTHOR E-Mode	AUTHOR E-Mode	AUTHOR Fenix	AUTHOR Navigator	AUTHOR Navigator
SPEED	10	10	10	10	10
WEIGHT	22.0 kg / 19"	22.0 kg / 19"	22.0 kg / 17"	21.5 kg / 19"	21.5 kg / 19"

MODEL	EMPIRE	ENIGMA	EDICT	ESSENCE	ELEMENT
SIZE	16", 18", 20", 22"	17", 19"	16", 18", 20", 22"	17", 19"	18", 20", 22"
FRAME	double butted hydroformed alloy 6061 29"	double butted hydroformed alloy 6061 29" (L)	double butted hydroformed alloy 6061 29"	double butted hydroformed alloy 6061 29" (L)	alloy 6061 700c
FRONT FORK	RST Viv Air E TRL air, remote lock out (80 mm)	RST Viv Air E TRL air, remote lock out (80 mm)	RST Viv Air E TnL air, lock out (80 mm)	RST Viv Air E TnL air, lock out (80 mm)	RST Nova TnL lock out (80 mm)
ENGINE	SHIMANO Steps DUE-6100, 250 W	SHIMANO Steps DUE-6100, 250 W	BAFANG Max Motor 420, 250 W	BAFANG Max Motor 420, 250 W	BAFANG Max Motor 420, 250 W
BATTERY	SHIMANO BT-E8010 Li-Ion, 36 V, 14 Ah, 500 Wh	SHIMANO BT-E8010 Li-Ion, 36 V, 14 Ah, 500 Wh	Han-Win, 36 V, 14 Ah, 500 Wh	Han-Win, 36 V, 14 Ah, 500 Wh	Han-Win, 36 V, 14 Ah, 500 Wh
DISPLAY	LCD SC-E6100	LCD SC-E6100	LCD C18	LCD C18	LCD C18
CHAINWHEEL	SHIMANO Steps E6100 38 teeth 170 / 175 mm cranks	SHIMANO Steps E6100 38 teeth 170 mm cranks	BAFANG 38 teeth 170 mm cranks	BAFANG 38 teeth 170 mm cranks	BAFANG 38 teeth 170 mm cranks
FRONT DERAILLEUR	-	-	-	-	-
REAR DERAILLEUR	SHIMANO Deore	SHIMANO Deore	SHIMANO Alivio	SHIMANO Alivio	SHIMANO Alivio
SHIFTERS	SHIMANO Deore (10)	SHIMANO Deore (10)	SHIMANO Alivio (9)	SHIMANO Alivio (9)	SHIMANO Alivio (9)
FREEWHEEL	SHIMANO HG50-10 11-36 (10)	SHIMANO HG50-10 11-36 (10)	SHIMANO HG400-9 11-34 (9)	SHIMANO HG400-9 11-34 (9)	SHIMANO HG400-9 11-34 (9)
CHAIN	KMC e10T	KMC e10T	KMC e9T	KMC e9T	KMC e9T
HUBS	AUTHOR Xenon 32 holes	AUTHOR Xenon 32 holes	AUTHOR Radon 32 holes	AUTHOR Radon 32 holes	AUTHOR Radon 36 holes
BRAKES	TEKTRO Gemini disc hydraulic (7" rotors)	TEKTRO Gemini disc hydraulic (7" rotors)	TEKTRO Gemini disc hydraulic (7" rotors)	TEKTRO Gemini disc hydraulic (7" rotors)	TEKTRO Vela disc hydraulic (6" rotors)
TIRES	AUTHOR Speed Master 29" x 1.75"	AUTHOR Speed Master 29" x 1.75"	AUTHOR Speed Master 29" x 1.75"	AUTHOR Speed Master 29" x 1.75"	CST reflexive stripes 700 x 40c
PEDALS	HT platmorm	AUTHOR Non Slip alloy	HT platmorm	AUTHOR Non Slip alloy	AUTHOR Non Slip alloy
SEAT POST	AUTHOR alloy (27.2)	AUTHOR alloy (27.2)	AUTHOR alloy (27.2)	AUTHOR alloy (27.2)	UNO suspension (27.2)
SADDLE	AUTHOR Sphere Gel	AUTHOR Area Gel	AUTHOR Sphere Gel	AUTHOR Area Gel	AUTHOR King Sofa
SPEED	10	10	9	9	9
WEIGHT	20.9 kg / 20"	20.9 kg / 17"	22.1 kg / 20"	19.9 kg / 17"	23.5 kg / 20"

MODEL	ELECTRA	ELAN
SIZE	17", 19"	16", 18", 20"
FRAME	alloy 6061 700c (L)	alloy 6061 26"
FRONT FORK	RST Nova TnL lock out (60 mm)	RST Gila 26 T (80 mm)
ENGINE	BAFANG Max Motor 250 W	BAFANG 250 W
BATTERY	Han-Win, 36 V, 14 Ah, 500 Wh	BAFANG Li-Ion, 43 V, 10.4 Ah, 450 Wh
DISPLAY	LCD C18	LCD C13
CHAINWHEEL	BAFANG 38 teeth 170 mm cranks	PROWHEEL 38 teeth 170 mm cranks
FRONT DERAILLEUR	-	-
REAR DERAILLEUR	SHIMANO Alivio	SHIMANO TX800
SHIFTERS	SHIMANO Alivio (9)	SHIMANO Revoshift (8)
FREEWHEEL	SHIMANO HG400-9 11-34 (9)	SHIMANO HG-31 11-34 (8)
CHAIN	KMC e9T	KMC Z8.1
HUBS	AUTHOR Radon 36 holes	QUANDO 36 holes BAFANG 36 holes
BRAKES	TEKTRO Vela disc hydraulic (6" rotors)	TEKTRO V
TIRES	CST reflexive stripes 700 x 40c	CST Classic Venice 26" x 2.00"
PEDALS	AUTHOR Non Slip alloy	AUTHOR Non Slip alloy
SEAT POST	UNO suspension (27.2)	UNO suspension (27.2)
SADDLE	AUTHOR Queen Sofa	AUTHOR Queen Sofa
SPEED	9	8
WEIGHT	23.8 kg / 17"	23.9 kg / 16"



ROAD

ROAD BIKES





WHEEL SET

SHIMANO
2x11

CERTIFIED

AVAILABLE AS A SEPARATE
FRAME SET.

CHARISMA 77



FRAME	Author A carbon monocoque	BRAKES	Shimano Dura Ace
FORK	Author A carbon monocoque	WHEEL SET	Mavic Ksyrium Pro Exalith 25 WTS
CHAINWHEEL	Shimano Dura Ace (53-39 teeth), BB unit	TIRES	Mavic Yksion Pro SSC kevlar 700 × 25c
REAR DERAILLEUR / SHIFTERS	Shimano Dura Ace, 22 speed	WEIGHT	7.1 kg / 58 cm
CASSETTE	Shimano CS-R9100, 11 speed (11-30 teeth)		



WHEEL SET

SHIMANO
2x11

CERTIFICATED



CHARISMA 66



FRAME	Author B carbon monocoque
FORK	Author B carbon monocoque
CHAINWHEEL	Shimano Ultegra (52-36 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano Ultegra, 22 speed
CASSETTE	Shimano CS-R8000, 11 speed (11-32 teeth)

BRAKES	Shimano Ultegra
WHEEL SET	Mavic Ksyrium Elite WTS 25
TIRES	Mavic Yksion Pro kevlar 700 × 25c
WEIGHT	7.5 kg / 58 cm



WHEEL SET

SHIMANO
2x11

CERTIFICATED



CHARISMA 55



FRAME	Author B carbon monocoque
FORK	Author C carbon monocoque
CHAINWHEEL	Shimano 105 Compact (52-36 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano 105, 22 speed
CASSETTE	Shimano CS-R7000, 11 speed (11-32 teeth)

BRAKES	Shimano 105
WHEEL SET	Mavic Aksium Elite Evo UST
TIRES	Vittoria Zaffiro Pro kevlar 700 x 25c
WEIGHT	8.3 kg / 58 cm



WHEEL SET

SHIMANO
2x11

AURA 55



FRAME	triple butted alloy 6061	BRAKES	Tektro R313
FORK	Author C carbon	WHEEL SET	Mavic Aksium
CHAINWHEEL	Shimano Compact (50-34 teeth)	TIRES	Vittoria Zaffiro Pro kevlar 700 x 28c
REAR DERAILEUR / SHIFTERS	Shimano 105, 22 speed	WEIGHT	9.0 kg / 54 cm
CASSETTE	Shimano CS-R7000, 11 speed (11-32 teeth)		

MODEL	CHARISMA 77	CHARISMA 66	CHARISMA 55	AURA 55
SIZE	520, 540, 560, 580, 600, 620 mm	520, 540, 560, 580, 600, 620 mm	520, 540, 560, 580, 600, 620 mm	480, 500, 520, 540, 560, 580 mm
FRAME	AUTHOR A carbon monocoque	AUTHOR B carbon monocoque	AUTHOR B carbon monocoque	triple butted alloy 6061
FRONT FORK	AUTHOR A carbon monocoque 1.5" tapered	AUTHOR B carbon monocoque 1.5" tapered	AUTHOR C carbon monocoque 1.5" tapered	AUTHOR C carbon 1.5" tapered
CHAINWHEEL	SHIMANO Dura Ace 53-39 teeth 170 / 172.5 / 175 / 177.5 mm cranks	SHIMANO Ultegra 52-36 teeth 170 / 172.5 / 175 mm cranks	SHIMANO 105 52-36 teeth 170 / 172.5 / 175 mm cranks	SHIMANO Compact 50-34 teeth 170 / 172.5 / 175 mm cranks
FRONT DERAILLEUR	SHIMANO Dura Ace	SHIMANO Ultegra	SHIMANO 105	SHIMANO 105
REAR DERAILLEUR	SHIMANO Dura Ace	SHIMANO Ultegra	SHIMANO 105	SHIMANO 105
SHIFTERS	SHIMANO Dura Ace (22)	SHIMANO Ultegra (22)	SHIMANO 105 (22)	SHIMANO 105 (22)
FREEWHEEL	SHIMANO R9100 11-30 (11)	SHIMANO R8000 11-32 (11)	SHIMANO R7000 11-32 (11)	SHIMANO R7000 11-32 (11)
CHAIN	SHIMANO HG901	SHIMANO HG701	SHIMANO HG601	KMC X11 EL
HUBS	MAVIC Ksyrium Pro Exalith 25 WTS wheel set 18 / 20 holes	MAVIC Ksyrium Elite 25 WTS wheel set 18 / 20 holes	MAVIC Aksium Elite Evo UST wheel set 20 holes	MAVIC Aksium wheel set 20 holes
BRAKES	SHIMANO Dura Ace	SHIMANO Ultegra	SHIMANO 105	TEKTRO R313
TIRES	MAVIC Yksion Pro SSC Griplink kevlar MAVIC Yksion Pro SSC Powerlink kevlar 700 x 25c	MAVIC Yksion Pro Griplink kevlar MAVIC Yksion Pro Powerlink kevlar 700 x 25c	VITTORIA Zaffiro Pro kevlar 700 x 25c	VITTORIA Zaffiro Pro kevlar 700 x 28c
PEDALS	-	-	-	-
SEAT POST	RITCHEY SL Carbon (27.2)	RITCHEY WCS Carbon (27.2)	RITCHEY Comp Carbon (27.2)	RITCHEY Comp Carbon (27.2)
SADDLE	PRIOLOGO Scratch 2	PRIOLOGO Scratch 2	PRIOLOGO Scratch 2 Space	AUTHOR Aura CR
SPEED	22	22	22	22
WEIGHT	7.1 kg / 58 cm	7.5 kg / 58 cm	8.3 kg / 58 cm	9.0 kg / 54 cm

GRAVEL

GRAVEL BIKES





WHEEL SET



12x142

SHIMANO
2x11

12x100



RONIN SL



FRAME	triple butted cromoly Reynolds 725
FORK	Author alloy 1.5" tapered
CHAINWHEEL	Shimano GRX 600 (46-30 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano GRX 812 / GRX 600, 22 speed
CASSETTE	Shimano CS-HG700-11, 11 speed (11-34 teeth)

BRAKES	Shimano GRX 400 (160 mm), hydraulic
WHEEL SETS	Mavic Allroad Disc CL UST
TIRES	Panaracer Gravel King SK kevlar 700 x 38c
WEIGHT	10.2 kg / 54 cm



12×142

12×100

SHIMANO
1x11

RONIN XC



FRAME	triple butted cromoly Reynolds 725
FORK	Author alloy 1.5" tapered
CHAINWHEEL	Shimano GRX 600-1 (40 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano GRX 812 / GRX 600, 11 speed

CASSETTE	Shimano CS-HG700-11, 11 speed (11-42 teeth)
BRAKES	Shimano GRX 400 (160 mm), hydraulic
TIRES	Panaracer Gravel King SK kevlar 650B × 48c
WEIGHT	10.9 kg / 54 cm

SHIMANO
2 x 10



RONIN



FRAME	triple butted cromoly	CASSETTE	Shimano CS-HG500-10, 10 speed (11-34 teeth)
FORK	cromoly	BRAKES	Shimano GRX 400 (160 mm), hydraulic
CHAINWHEEL	Shimano GRX 600 (46-30 teeth), BB unit	TIRES	Panaracer Gravel King SK kevlar 700 × 38c
REAR DERAILLEUR / SHIFTERS	Shimano GRX 400, 20 speed	WEIGHT	11.5 kg / 54 cm



WHEEL SET



12x142

SHIMANO
2x11

12x100



AURA XR6



FRAME	triple butted alloy 6061
FORK	Author carbon 1.5" tapered
CHAINWHEEL	Shimano GRX 600 (46-30 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano GRX 810 / GRX 600, 22 speed
CASSETTE	Shimano CS-HG700-11, 11 speed (11-34 teeth)

BRAKES	Shimano GRX 400 (160 mm), hydraulic
WHEEL SET	Mavic Allroad Disc CL UST
TIRES	Panaracer Gravel King SK kevlar 700 x 38c
WEIGHT	9.7 kg / 54 cm

SHIMANO
2x10

12x100



AURA XR5



FRAME	triple butted alloy 6061	CASSETTE	Shimano CS-HG500-10, 10 speed (11-34 teeth)
FORK	Author carbon / alloy 1.5" tapered	BRAKES	Shimano GRX 400 (160 mm), hydraulic
CHAINWHEEL	Shimano GRX 600 (46-30 teeth), BB unit	TIRES	Ritchey Cross Shield kevlar 700 x 35c
REAR DERAILLEUR / SHIFTERS	Shimano GRX 400, 20 speed	WEIGHT	10.5 kg / 54 cm

SHIMANO
2x10

12x100



AURA XR4



FRAME	triple butted alloy 6061	CASSETTE	Shimano CS-HG500-10, 10 speed (11-34 teeth)
FORK	Author carbon / alloy 1.5" tapered	BRAKES	SHIMANO RS305 (160 mm), mechanical
CHAINWHEEL	Shimano GRX 600 (46-30 teeth), BB unit	TIRES	Ritchey Cross Shield kevlar 700 x 35c
REAR DERAILLEUR / SHIFTERS	Shimano Tiagra / GRX, 20 speed	WEIGHT	10.7 kg / 54 cm



12x100

AURA XR3



FRAME	triple butted alloy 6061	CASSETTE	Shimano CS-HG400-9, 9 speed (11-32 teeth)
FORK	Author alloy 1.5" tapered	BRAKES	SHIMANO RS305 (160 mm) mechanical
CHAINWHEEL	Prowheel RPL (48-32 teeth)	TIRES	Ritchey Cross Shield 700 x 35c
REAR DERAILLEUR / SHIFTERS	Shimano Sora, 18 speed	WEIGHT	11.0 kg / 54 cm

MODEL	RONIN SL	RONIN XC	RONIN	AURA XR6	AURA XR5
SIZE	500, 520, 540, 560, 580 mm	500, 520, 540, 560, 580 mm	500, 520, 540, 560, 580 mm	500, 520, 540, 560, 580 mm	500, 520, 540, 560, 580 mm
FRAME	triple butted cromoly REYNOLDS	triple butted cromoly REYNOLDS	triple butted cromoly	triple butted alloy 6061	triple butted alloy 6061
FRONT FORK	AUTHOR alloy 1.5" tapered	AUTHOR alloy 1.5" tapered	cromoly 700C	AUTHOR carbon 1.5" tapered	AUTHOR carbon legs, alloy steerer 1.5" tapered
CHAINWHEEL	SHIMANO GRX 600 46-30 teeth 172.5 / 175 mm cranks	SHIMANO GRX 600-1 40 teeth 170 / 172.5 / 175 mm cranks	SHIMANO GRX 600 46-30 teeth 172.5 / 175 mm cranks	SHIMANO GRX 600 46-30 teeth 172.5 / 175 mm cranks	SHIMANO GRX 600 46-30 teeth 172.5 / 175 mm cranks
FRONT DERAILLEUR	SHIMANO GRX 810	-	SHIMANO GRX 400	SHIMANO GRX 810	SHIMANO GRX 400
REAR DERAILLEUR	SHIMANO GRX 810	SHIMANO GRX 812	SHIMANO GRX 400	SHIMANO GRX 810	SHIMANO GRX 400
SHIFTERS	SHIMANO GRX 600 (22)	SHIMANO GRX 600 (112)	SHIMANO GRX 400 (20)	SHIMANO GRX 600 (22)	SHIMANO GRX 400 (20)
FREEWHEEL	SHIMANO HG700-11 11-34 (11)	SHIMANO HG700-11 11-42 (11)	SHIMANO HG500-10 11-34 (10)	SHIMANO HG700-11 11-34 (11)	SHIMANO HG500-10 11-34 (10)
CHAIN	KMC X11 EL	KMC X11 EL	KMC X10	KMC X11 EL	KMC X10
HUBS	MAVIC Allroad Disc CL UST wheel set 20 holes 12 x 100 mm thru front axle 12 x 142 mm rear axle	SHIMANO 105 Disc 32 holes	QUANDO Road Disc 32 holes	MAVIC Allroad Disc CL UST wheel set 20 holes 12 x 100 mm thru front axle 12 x 142 mm rear axle	QUANDO Road Disc 12 x 100 mm thru front axle 32 holes
BRAKES	SHIMANO GRX 400 disc hydraulic (160 mm rotors)	SHIMANO GRX 400 disc hydraulic (160 mm rotors)	SHIMANO GRX 400 disc hydraulic (160 mm rotors)	SHIMANO GRX 400 disc hydraulic (160 mm rotors)	SHIMANO GRX 400 disc hydraulic (160 mm rotors)
TIRES	PANARACER Gravel King SK kevlar 700 x 38c	PANARACER Gravel King SK kevlar 650B x 48c	PANARACER Gravel King SK kevlar 700 x 38c	PANARACER Gravel King SK kevlar 700 x 38c	RITCHEY Cross Shield kevlar 700 x 35c
PEDALS	-	-	-	-	-
SEAT POST	RITCHEY Comp (27.2)	RITCHEY Comp (27.2)	AUTHOR (27.2)	RITCHEY 2B Comp (27.2)	AUTHOR (27.2)
SADDLE	AUTHOR Guru CR	AUTHOR Guru CR	AUTHOR Guru	AUTHOR Guru CR	AUTHOR Guru CR
SPEED	22	11	20	22	20
WEIGHT	10.2 kg / 54 cm	10.9 kg / 54 cm	11.5 kg / 54 cm	9.7 kg / 54 cm	10.5 kg / 54 cm

MODEL	AURA XR4	AURA XR3
SIZE	500, 520, 540, 560, 580 mm	500, 520, 540, 560, 580 mm
FRAME	triple butted alloy 6061	triple butted alloy 6061
FRONT FORK	AUTHOR carbon legs, alloy steerer 1.5" tapered	AUTHOR alloy 1.5" tapered
CHAINWHEEL	SHIMANO GRX 600 46-30 teeth 172.5 / 175 mm cranks	PROWHEEL RPL 48-32 teeth 172.5 / 175 mm cranks
FRONT DERAILLEUR	SHIMANO GRX 400	SHIMANO Sora
REAR DERAILLEUR	SHIMANO Tiagra (20)	SHIMANO Sora
SHIFTERS	SHIMANO GRX 400 (20)	SHIMANO Sora (18)
FREEWHEEL	SHIMANO HG500-10 11-34 (10)	SHIMANO HG400-9 11-32 (9)
CHAIN	KMC X10	SHIMANO HG53
HUBS	QUANDO Road Disc 12 x 100 mm thru front axle 32 holes	QUANDO Road Disc 12 x 100 mm thru front axle 32 holes
BRAKES	SHIMANO RS305 disc mechanical (160 mm kotouče)	SHIMANO RS305 disc mechanical (160 mm rotors)
TIRES	RITCHEY Cross Shield kevlar 700 x 35c	RITCHEY Cross Shield 700 x 35c
PEDALS	-	-
SEAT POST	AUTHOR (27,2)	AUTHOR (27,2)
SADDLE	AUTHOR Guru	AUTHOR Guru
SPEED	20	18
WEIGHT	10.7 kg / 54 cm	11.0 kg / 54 cm







WHEEL SET



BOOST 12x148

SHIMANO
1x12

BOOST 15x110



MAGNUM 29



FRAME	Author A carbon monocoque
FORK	FOX 32 Float SC 29 100 Remote, 15 mm axle, 1.5" tapered (100 mm travel)
CHAINWHEEL	Shimano XT (36 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano XT, 12 speed
CASSETTE	Shimano M7100, 12 speed (10-51 teeth)

BRAKES	Shimano XT (6"), hydraulic
WHEEL SET	Mavic Crossmax Pro 29 UST
TIRES	Vittoria Barzo kevlar TNT 29" x 2.10"
WEIGHT	9.6 kg / 19"



WHEEL SET

BOOST 12x148



BOOST 15x110



SECTOR 29



FRAME	Author B carbon monocoque
FORK	FOX 32 Float SC 29 100 Remote, 15 mm axle, 1.5" tapered (100 mm travel)
CHAINWHEEL	Shimano XT (36 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano XT, 12 speed
CASSETTE	Shimano CS-M7100, 12 speed (10-51 teeth)

BRAKES	Shimano SLX (6"), hydraulic
WHEEL SET	Mavic Crossmax 29
TIRES	Vittoria Barzo kevlar 29" x 2.25"
WEIGHT	10.5 kg / 19"

SHIMANO
1x12

BOOST 12x148

15x100



MASTER 29



FRAME	Author C carbon monocoque
FORK	ROCK SHOX Recon Gold RL Remote 29 15 Solo Air, 15 mm axle, 1.5" tapered (100 mm travel)
CHAINWHEEL	Shimano SLX (34 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano XT / SLX, 12 speed

CASSETTE	Shimano CS-M7100, 12 speed (10-51 teeth)
BRAKES	Shimano Deore (7"), hydraulic
TIRES	Vittoria Barzo kevlar 29" x 2.25"
WEIGHT	11.0 kg / 19"

SHIMANO
2x10

BOOST 12x148

15x100



MODUS 29



FRAME	Author C carbon monocoque
FORK	RST F1RST 29 15 TRL, 15 mm axle, 1.5" tapered (100 mm travel)
CHAINWHEEL	Shimano Deore (36-26 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano Deore, 20 speed

CASSETTE	Shimano CS-HG500-10, 10 speed (11-42 teeth)
BRAKES	Tektro Gemini (7"), hydraulic
TIRES	Vittoria Barzo kevlar 29" x 2.25"
WEIGHT	12.2 kg / 19"



WHEEL SET

BOOST 12x148

SHIMANO
1x12

BOOST 15x110



EGOIST 29



FRAME	triple butted hydroformed alloy 6061
FORK	FOX 32 Float SC 29 Remote, 15 mm axle, 1.5" tapered (100 mm travel)
CHAINWHEEL	Shimano XT (36 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano XT, 12 speed
CASSETTE	Shimano CS-M7100, 12 speed (10-51 teeth)

BRAKES	Shimano SLX (6"), hydraulic
WHEEL SET	Mavic Crossmax 29
TIRES	Vittoria Barzo kevlar 29" x 2.25"
WEIGHT	11.0 kg / 19"

SHIMANO
1x12

BOOST 12x148

15x100



VISION 29



FRAME	triple butted hydroformed alloy 6061
FORK	ROCK SHOX Recon Gold RL Remote 29 15 Solo Air, 15 mm axle, 1.5" tapered (100 mm travel)
CHAINWHEEL	Shimano SLX (34 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano XT / SLX, 12 speed

CASSETTE	Shimano CS-M7100, 12 speed (10-51 teeth)
BRAKES	Shimano Deore (7"), hydraulic
TIRES	Vittoria Barzo kevlar 29" x 2.25"
WEIGHT	11.7 kg / 19"

SHIMANO
1x12

BOOST 12x148

15x100



ORION 29



FRAME	triple butted hydroformed alloy 6061
FORK	RST F1RST 29 15 TRL, (100 mm travel)
CHAINWHEEL	Shimano SLX (34 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano XT / SLX, 12 speed

CASSETTE	Shimano CS-M7100, 12 speed (10-51 teeth)
BRAKES	Shimano BRMT400 (7"), hydraulic
TIRES	Victoria Barzo kevlar 29" x 2.25"
WEIGHT	11.9 kg / 19"

SHIMANO
1x12

BOOST 12x148

15x100



CONTEXT 29



FRAME triple butted hydroformed alloy 6061

FORK RST F1RST 29 15 TRL, (100 mm travel)

CHAINWHEEL Shimano (34 teeth), BB unit

REAR DERAILLEUR / SHIFTERS Shimano SLX, 12 speed

CASSETTE Shimano CS-M7100, 12 speed (10-51 teeth)

BRAKES Shimano BRMT400 (7"), hydraulic

TIRES Vittoria Barzo kevlar 29" x 2.25"

WEIGHT 12.0 kg / 19"

SHIMANO
2 x 10

15x100



INSTINCT 29



FRAME	double butted hydroformed alloy 6061
FORK	RST F1RST 29 15 TRL (100 mm travel)
CHAINWHEEL	Shimano Deore (36-26 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano Deore, 20 speed

CASSETTE	Shimano CS-HG500-10, 10 speed (11-42 teeth)
BRAKES	Shimano BRMT400 (7"), hydraulic
TIRES	Victoria Barzo kevlar 29" x 2.25"
WEIGHT	12.5 kg / 19"

SHIMANO
2 x 10



TRACTION 29



FRAME	double butted hydroformed alloy 6061	CASSETTE	Shimano CS-HG500-10, 10 speed (11-42 teeth)
FORK	RST Aerial 29 TnL (100 mm travel)	BRAKES	Tektro Gemini (7"), hydraulic
CHAINWHEEL	Shimano (36-26 teeth), BB unit	TIRES	Vittoria Barzo kevlar 29" x 2.25"
REAR DERAILEUR / SHIFTERS	Shimano Deore, 20 speed	WEIGHT	13.2 kg / 19"

SHIMANO
2 x 10



RADIUS 29



FRAME	hydroformed alloy 6061
FORK	RST Aerial 29 TnL (100 mm travel)
CHAINWHEEL	Shimano (36-26 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano Deore, 20 speed

CASSETTE	Shimano CS-HG500-10, 10 speed (11-42 teeth)
BRAKES	Tektro Auriga (7"), hydraulic
TIRES	Author Rocket 29" x 2.10"
WEIGHT	14.3 kg / 19"



VARIANT [B]

SPIRIT 29

FRAME	hydroformed alloy 6061	CASSETTE	Shimano CS-HG200-9, 9 speed (11-34 teeth)
FORK	RST Aerial 29 TnL (100 mm travel)	BRAKES	Tektro Auriga (7"), hydraulic
CHAINWHEEL	Shimano M4000 (40-30-22 teeth), Octalink	TIRES	Author Rocket 29" x 2.10"
REAR DERAILLEUR / SHIFTERS	Shimano Alivio, 27 speed	WEIGHT	14.4 kg / 19"





VARIANT [B]

PEGAS 29

FRAME	hydroformed alloy 6061	CASSETTE	Shimano CS-HG200-9, 9 speed (11-34 teeth)
FORK	RST Blaze 29 TnL (100 mm travel)	BRAKES	Tektro Auriga (7"), hydraulic
CHAINWHEEL	Suntour XCM (40-30-22 teeth)	TIRES	Author Rocket 29" x 2.10"
REAR DERAILLEUR / SHIFTERS	Shimano Acera, 27 speed	WEIGHT	15.3 kg / 19"





VARIANT [B]

SOLUTION 29

FRAME	alloy 6061	CASSETTE	Shimano CS-HG200-9, 9 speed (11-34 teeth)
FORK	RST Blaze 29 ML (100 mm travel)	BRAKES	Tektro Auriga (7"), hydraulic
CHAINWHEEL	Suntour XCM (40-30-22 teeth)	TIRES	Author Rocket 29" x 2.10"
REAR DERAILLEUR / SHIFTERS	Shimano Altus, 27 speed	WEIGHT	14.9 kg / 19"





VARIANT [B]

IMPULSE 29

FRAME	alloy 6061	CASSETTE	Shimano CS-HG200-8, 8 speed (12-32 teeth)
FORK	RST Blaze 29 ML (100 mm travel)	BRAKES	Tektro (6"), hydraulic
CHAINWHEEL	Prowheel (42-34-24 teeth)	TIRES	Author Rocket 29" x 2.10"
REAR DERAILLEUR / SHIFTERS	Shimano Altus, 24 speed	WEIGHT	14.9 kg / 19"





VARIANT [B]

RIVAL 29

FRAME	alloy 6061	CASSETTE	Shimano CS-HG200-8, 8 speed (12-32 teeth)
FORK	RST Blaze 29 ML (100 mm travel)	BRAKES	Tektro (6"), hydraulic
CHAINWHEEL	Prowheel (42-34-24 teeth)	TIRES	Author Rocket 29" x 2.10"
REAR DERAILEUR / SHIFTERS	Shimano TX800, 24 speed	WEIGHT	15.1 kg / 19"



MODEL	MAGNUM 29	SECTOR 29	MASTER 29	MODUS 29	EGOIST 29
SIZE	17.5", 19", 21"	17.5", 19", 21"	17.5", 19", 21"	17.5", 19", 21"	17", 19", 21"
FRAME	AUTHOR A carbon mono-coque 29"	AUTHOR B carbon mono-coque 29"	AUTHOR C carbon mono-coque 29"	AUTHOR C carbon mono-coque 29"	triple butted hydroformed alloy 6061 29"
FRONT FORK	FOX 32 Float SC 29 100 Remote air, remote lock out 15 mm thru axle 1.5" tapered steerer (100 mm)	FOX 32 Float SC 29 100 Remote air, remote lock out 15 mm thru axle 1.5" tapered steerer (100 mm)	ROCK SHOX Recon Gold RL Remote 29 15 Solo Air air, remote lock out 15 mm thru axle 1.5" tapered steerer (100 mm)	RST F1RST 29 15 TRL air, remote lock out 15 mm thru axle 1.5" tapered steerer (100 mm)	FOX 32 Float SC 29 100 Remote air, remote lock out 15 mm thru axle 1.5" tapered steerer (100 mm)
CHAINWHEEL	SHIMANO XT 36 teeth 170 / 175 mm cranks	SHIMANO XT 36 teeth 170 / 175 mm cranks	SHIMANO SLX 34 teeth 170 / 175 mm cranks	SHIMANO 36-26 teeth 170 / 175 mm cranks	SHIMANO XT 36 teeth 170 / 175 mm cranks
FRONT DERAILLEUR	-	-	-	SHIMANO Deore	-
REAR DERAILLEUR	SHIMANO XT	SHIMANO XT	SHIMANO XT	SHIMANO Deore	SHIMANO XT
SHIFTERS	SHIMANO XT (12)	SHIMANO XT (12)	SHIMANO SLX (12)	SHIMANO Deore (20)	SHIMANO XT (12)
FREEWHEEL	SHIMANO M7100 10-51 (12)	SHIMANO M7100 10-51 (12)	SHIMANO M7100 10-51 (12)	SHIMANO HG500-10 11-42 (10)	SHIMANO M7100 10-51 (12)
CHAIN	SHIMANO M7100	SHIMANO M7100	SHIMANO M7100	KMC X10	SHIMANO M7100
HUBS	MAVIC Crossmax Pro 29 wheel set 24 holes 15 x 110 mm thru front axle 12 x 148 mm thru rear axle	MAVIC Crossmax 29 wheel set 24 holes 15 x 110 mm thru front axle 12 x 148 mm thru rear axle	AUTHOR Helium 15 / SHIMANO SLX 15 x 100 mm thru front axle 12 x 148 mm thru rear axle 32 holes	AUTHOR Helium 15 / Krypton 12 15 x 100 mm thru front axle 32 holes	MAVIC Crossmax 29 wheel set 24 holes 15 x 110 mm thru front axle 12 x 148 mm thru rear axle
BRAKES	SHIMANO XT disc hydraulic (6" rotors)	SHIMANO SLX disc hydraulic (6" rotors)	SHIMANO Deore disc hydraulic (7" rotors)	TEKTRO Gemini disc hydraulic (7" rotors)	SHIMANO SLX disc hydraulic (6" rotors)
TIRES	VITTORIA Barzo kevlar TNT 29" x 2.10"	VITTORIA Barzo kevlar 29" x 2.25"	VITTORIA Barzo kevlar 29" x 2.25"	VITTORIA Barzo kevlar 29" x 2.25"	VITTORIA Barzo kevlar 29" x 2.25"
PEDALS	-	-	-	-	-
SEAT POST	RITCHEY WCS carbon (31.6)	RITCHEY Comp Carbon (31.6)	RITCHEY Comp (31.6)	AUTHOR alloy (31.6)	RITCHEY Comp Carbon (31.6)
SADDLE	PROLOGO X Zero II	PROLOGO Nago Evo X10	PROLOGO Nago Evo X10	AUTHOR Navigator	PROLOGO Nago Evo X10
SPEED	12	12	12	20	12
WEIGHT	9.6 kg / 19"	10.5 kg / 19"	11.0 kg / 19"	12.2 kg / 19"	11.0 kg / 19"

MODEL	VISION 29	ORION 29	CONTEXT 29	INSTINCT 29	TRACTION 29
SIZE	17", 19", 21"	17", 19", 21"	17", 19", 21"	17", 19", 21"	17", 19", 21"
FRAME	triple butted hydroformed alloy 6061 29"	triple butted hydroformed alloy 6061 29"	triple butted hydroformed alloy 6061 29"	double butted hydroformed alloy 6061 29"	double butted hydroformed alloy 6061 29"
FRONT FORK	ROCK SHOX Recon Gold RL Remote 29 15 Solo Air air, remote lock out 15 mm thru axle 1.5" tapered steerer (100 mm)	RST F1RST 29 15 TRL air, remote lock out (100 mm)	RST F1RST 29 15 TRL air, remote lock out (100 mm)	RST F1RST 29 15 TRL air, remote lock out (100 mm)	RST Aerial 29 TnL air, lock out (100 mm)
CHAINWHEEL	SHIMANO SLX 34 teeth 170 / 175 mm cranks	SHIMANO SLX 34 teeth 170 / 175 mm cranks	SHIMANO 34 teeth 170 / 175 mm cranks	SHIMANO Deore 36-26 teeth 170 / 175 mm cranks	SHIMANO 36-26 teeth 170 / 175 mm cranks
FRONT DERAILLEUR	-	-	-	SHIMANO Deore (34.9)	SHIMANO Deore (34.9)
REAR DERAILLEUR	SHIMANO XT	SHIMANO XT	SHIMANO SLX	SHIMANO Deore	SHIMANO Deore
SHIFTERS	SHIMANO SLX (12)	SHIMANO SLX (12)	SHIMANO SLX (12)	SHIMANO Deore (20)	SHIMANO Deore (20)
FREEWHEEL	SHIMANO M7100 10-51 (12)	SHIMANO M7100 10-51 (12)	SHIMANO M7100 10-51 (12)	SHIMANO HG500-10 11-42 (10)	SHIMANO HG500-10 11-42 (10)
CHAIN	SHIMANO M7100	KMC X12	KMC X12	KMC X10-1	KMC X10-1
HUBS	AUTHOR Helium 15 / SHIMANO SLX 15 x 100 mm thru front axle 12 x 148 mm thru rear axle 32 holes	AUTHOR Helium 15 / SHIMANO SLX 15 x 100 mm thru front axle 12 x 148 mm thru rear axle 32 holes	AUTHOR Helium 15 / SHIMANO 15 x 100 mm thru front axle 12 x 148 mm thru rear axle 32 holes	AUTHOR Helium 15 / Xenon 15 x 100 mm thru axle 32 holes	AUTHOR Radon 32 holes
BRAKES	SHIMANO Deore disc hydraulic (7" rotors)	SHIMANO BRMT400 disc hydraulic (7" rotors)	SHIMANO BRMT400 disc hydraulic (7" rotors)	SHIMANO BRMT400 disc hydraulic (7" rotors)	TEKTRO Gemini disc hydraulic (7" rotors)
TIRES	VITTORIA Barzo kevlar 29" x 2.25"	VITTORIA Barzo kevlar 29" x 2.25"	VITTORIA Barzo kevlar 29" x 2.25"	VITTORIA Barzo kevlar 29" x 2.25"	VITTORIA Barzo kevlar 29" x 2.25"
PEDALS	-	-	-	-	AUTHOR alloy
SEAT POST	RITECHY Comp (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)
SADDLE	PROLOGO Nago Evo X10	AUTHOR Navigator	AUTHOR Navigator	AUTHOR Navigator	AUTHOR Navigator
SPEED	12	12	12	20	20
WEIGHT	11.7 kg / 19"	11.9 kg / 19"	12.0 kg / 19"	12.5 kg / 19"	13.2 kg / 19"

MODEL	RADIUS 29	SPIRIT 29	PEGAS 29	SOLUTION 29	IMPULSE 29	RIVAL 29
SIZE	17", 19", 21"	17", 19", 21"	17", 19", 21"	17", 19", 21"	17", 19", 21"	17", 19", 21"
FRAME	hydroformed alloy 6061 29"	hydroformed alloy 6061 29"	hydroformed alloy 6061 29"	alloy 6061 29"	alloy 6061 29"	alloy 6061 29"
FRONT FORK	RST Aerial 29 TnL air, lock out (100 mm)	RST Aerial 29 TnL air, lock out (100 mm)	RST Blaze 29 TnL oil, lock out (100 mm)	RST Blaze 29 ML oil, lock out (100 mm)	RST Blaze 29 ML oil, lock out (100 mm)	RST Blaze 29 ML oil, lock out (100 mm)
CHAINWHEEL	SHIMANO 36-26 teeth 170 / 175 mm cranks	SHIMANO M4000 40-30-22 teeth 170 / 175 mm cranks	SUNTOUR XCM 40-30-22 teeth 170 / 175 mm cranks	SUNTOUR XCM 40-30-22 teeth 170 / 175 mm cranks	PROWHEEL 42-34-24 teeth 170 / 175 mm cranks	PROWHEEL 42-34-24 teeth 170 / 175 mm cranks
FRONT DERAILLEUR	SHIMANO Deore (34.9)	SHIMANO Alivio (34.9)	SHIMANO Alivio (34.9)	SHIMANO Altus (34.9)	SHIMANO TY700 (34.9)	SHIMANO TY700 (34.9)
REAR DERAILLEUR	SHIMANO Deore	SHIMANO Alivio	SHIMANO Acera	SHIMANO Altus	SHIMANO Altus	SHIMANO TX800
SHIFTERS	SHIMANO Deore (20)	SHIMANO Alivio (27)	SHIMANO Acera (27)	SHIMANO Altus (27)	SHIMANO Altus (24)	SHIMANO TX800 (24)
FREEWHEEL	SHIMANO HG500-10 11-42 (10)	SHIMANO HG400-9 11-34 (9)	SHIMANO HG200-9 11-34 (9)	SHIMANO HG200-9 11-34 (9)	SHIMANO HG200-8 12-32 (8)	SHIMANO HG200-8 12-32 (8)
CHAIN	KMC X10-1	KMC Z9	KMC Z9	KMC Z9	KMC Z8.1	KMC Z8.1
HUBS	QUANDO Disc 32 holes	QUANDO Disc 32 holes	QUANDO Disc 32 holes	QUANDO Disc 32 holes	QUANDO Disc 32 holes	QUANDO Disc 32 holes
BRAKES	TEKTRO Auriga disc hydraulic (7" rotors)	TEKTRO Auriga disc hydraulic (7" rotors)	TEKTRO Auriga disc hydraulic (7" rotors)	TEKTRO Auriga disc hydraulic (7" rotors)	TEKTRO disc hydraulic (6" rotors)	TEKTRO disc mechanical (6" rotors)
TIRES	AUTHOR Rocket 29" x 2.10"	AUTHOR Rocket 29" x 2.10"	AUTHOR Rocket 29" x 2.10"	AUTHOR Rocket 29" x 2.10"	AUTHOR Rocket 29" x 2.10"	AUTHOR Rocket 29" x 2.10"
PEDALS	AUTHOR alloy	AUTHOR alloy	AUTHOR alloy	resin	resin	resin
SEAT POST	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)
SADDLE	AUTHOR Navigator	AUTHOR Navigator	AUTHOR Navigator	AUTHOR Courier	AUTHOR Courier	AUTHOR Courier
SPEED	20	27	27	27	24	24
WEIGHT	14.3 kg / 19"	14.4 kg / 19"	15.3 kg / 19"	14.9 kg / 19"	14.9 kg / 19"	15.1 kg / 19"

SHIMANO
2x10



TRACION



FRAME	double butted hydroformed alloy 6061	CASSETTE	Shimano CS-HG500-10, 10 speed (11-42 teeth)
FORK	RST Aerial 27.5 TnL (100 mm travel)	BRAKES	Tektro Gemini (6"), hydraulic
CHAINWHEEL	Shimano (36-26 teeth), BB unit	TIRES	Vittoria Barzo kevlar 27.5" x 2.25"
REAR DERAILLEUR / SHIFTERS	Shimano Deore, 20 speed	WEIGHT	12.8 kg / 17"



SPIRIT



FRAME	hydroformed alloy 6061	CASSETTE	Shimano CS-HG400-9, 9 speed (11-34 teeth)
FORK	RST Aerial 27.5 TnL (100 mm travel)	BRAKES	Tektro Auriga (6"), hydraulic
CHAINWHEEL	Shimano M4000 (40-30-22 teeth)	TIRES	Author Rocket 27.5" x 2.10"
REAR DERAILLEUR/ SHIFTERS	Shimano Alivio, 27 speed	WEIGHT	13.9 kg / 17"



VARIANT [B]

PEGAS

FRAME	hydroformed alloy 6061	CASSETTE	Shimano CS-HG200-9, 9 speed (11-34 teeth)
FORK	RST Blaze 27.5 TnL (100 mm travel)	BRAKES	Tektro Auriga (6"), hydraulic
CHAINWHEEL	Suntour XCM (40-30-22 teeth)	TIRES	Author Rocket 27.5" x 2.10"
REAR DERAILLEUR / SHIFTERS	Shimano Acera, 27 speed	WEIGHT	14.6 kg / 17"





VARIANT [B]

SOLUTION

FRAME	alloy 6061	CASSETTE	Shimano CS-HG200-9, 9 speed (11-34 teeth)
FORK	RST Blaze 27.5 ML (100 mm travel)	BRAKES	Tektro Auriga (6"), hydraulic
CHAINWHEEL	Suntour XCM (40-30-22 teeth)	TIRES	Author Rocket 27.5" x 2.10"
REAR DERAILLEUR / SHIFTERS	Shimano Altus, 27 speed	WEIGHT	14.4 kg / 17"





VARIANT [B]

IMPULSE

FRAME	alloy 6061	CASSETTE	Shimano CS-HG200-8, 8 speed (12-32 teeth)
FORK	RST Gila 27.5 ML (100 mm travel)	BRAKES	Tektro (6"), hydraulic
CHAINWHEEL	Prowheel (42-34-24 teeth)	TIRES	Author Rocket 27.5" x 2.10"
REAR DERAILLEUR / SHIFTERS	Shimano Altus, 24 speed	WEIGHT	14.2 kg / 17"





VARIANT [B]

RIVAL

FRAME	alloy 6061	CASSETTE	Shimano CS-HG200-8, 8 speed (12-32 teeth)
FORK	RST Gila 27.5 T (100 mm travel)	BRAKES	Tektro (6"), mechanical
CHAINWHEEL	Prowheel (42-34-24 teeth)	TIRES	Author Rocket 27.5" x 2.10"
REAR DERAILLEUR / SHIFTERS	Shimano TX800, 24 speed	WEIGHT	15.0 kg / 17"



MODEL	TRACTION	SPIRIT	PEGAS	SOLUTION	IMPULSE	RIVAL
SIZE	15", 17", 19"	15", 17", 19"	17", 19"	15", 17", 19"	17", 19"	15", 17", 19"
FRAME	double butted hydroformed alloy 6061 27.5"	hydroformed alloy 6061 27.5"	hydroformed alloy 6061 27.5"	alloy 6061 27.5"	alloy 6061 27.5"	alloy 6061 27.5"
FRONT FORK	RST Aerial 27.5 TnL air, lock out (100 mm)	RST Aerial 27.5 TnL air, lock out (100 mm)	RST Blaze 27.5 TnL oil, lock out (100 mm)	RST Blaze 27.5 ML oil, lock out (100 mm)	RST Gila 27.5 ML lock out (100 mm)	RST Gila 27.5 T (100 mm)
CHAINWHEEL	SHIMANO 36-26 teeth 170 / 175 mm cranks	SHIMANO M4000 40-30-22 teeth 170 / 175 mm cranks	SUNTOUR XCM 40-30-22 teeth 170 / 175 mm cranks	SUNTOUR XCM 40-30-22 teeth 170 / 175 mm cranks	PROWHEEL 42-34-24 teeth 170 / 175 mm cranks	PROWHEEL 42-34-24 teeth 170 mm cranks
FRONT DERAILEUR	SHIMANO Deore (34.9)	SHIMANO Alivio (34.9)	SHIMANO Alivio (34.9)	SHIMANO Altus (34.9)	SHIMANO TY700 (34.9)	SHIMANO TY700 (34.9)
REAR DERAILEUR	SHIMANO Deore	SHIMANO Alivio	SHIMANO Acera	SHIMANO Altus	SHIMANO Altus	SHIMANO TX800
SHIFTERS	SHIMANO Deore (20)	SHIMANO Alivio (27)	SHIMANO Acera (27)	SHIMANO Altus (27)	SHIMANO Altus (24)	SHIMANO TX800 (24)
FREEWHEEL	SHIMANO HG500-10 11-42 (10)	SHIMANO HG400-9 11-34 (9)	SHIMANO HG200-9 11-34 (9)	SHIMANO HG200-9 11-34 (9)	SHIMANO HG200-8 12-32 (8)	SHIMANO HG200-8 12-32 (8)
CHAIN	KMC X10	KMC Z9	KMC Z9	KMC Z9	KMC Z8.1	KMC Z8.1
HUBS	AUTHOR Radon 32 holes	QUANDO Disc 32 holes	QUANDO Disc 32 holes	QUANDO Disc 32 holes	QUANDO Disc 32 holes	QUANDO Disc 32 holes
BRAKES	TEKTRO Gemini disc hydraulic (6" rotors)	TEKTRO Auriga disc hydraulic (6" rotors)	TEKTRO Auriga disc hydraulic (6" rotors)	TEKTRO Auriga disc hydraulic (6" rotors)	TEKTRO disc hydraulic (6" rotors)	TEKTRO disc mechanical (6" rotors)
TIRES	VITTORIA Barzo kevlar 27.5" x 2.25"	AUTHOR Rocket 27.5" x 2.10"	AUTHOR Rocket 27.5" x 2.10"	AUTHOR Rocket 27.5" x 2.10"	AUTHOR Rocket 27.5" x 2.10"	AUTHOR Rocket 27.5" x 2.10"
PEDALS	AUTHOR alloy	AUTHOR alloy	AUTHOR alloy	resin	resin	resin
SEAT POST	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	ZOOM alloy (31.6)
SADDLE	AUTHOR Navigator	AUTHOR Navigator	AUTHOR Navigator	AUTHOR Courier	AUTHOR Courier	AUTHOR Courier
SPEED	20	27	27	27	24	24
WEIGHT	12.8 kg / 17"	13.9 kg / 17"	14.6 kg / 17"	14.4 kg / 17"	14.2 kg / 17"	15.0 kg / 17"

VARIANT [B]



VARIANT [C]



OUTSET

FRAME	alloy 6061
FORK	RST Capa 26 T (80 mm travel)
CHAINWHEEL	Prowheel (42-34-24 teeth)
REAR DERAILLEUR SHIFTERS	Shimano TY500 / Shimano, 21 speed
SPROCKET	Shimano MF-TZ500-7, 7 speed (14-28 teeth)
BRAKES	Tektro V
TIRES	Author Rocket 26" x 2.10"
WEIGHT	14.1 kg / 19"





VARIANT [B]

UNICA

FRAME	alloy 6061	SPROCKET	Shimano MF-TZ500-7, 7 speed (14-28 teeth)
FORK	RST Capa 26 T (80 mm travel)	BRAKES	Tektro V
CHAINWHEEL	Prowheel (42-34-24 teeth)	TIRES	Author Speed Master 26" x 2.00"
REAR DERAILLEUR / SHIFTERS	Shimano TY500 / Shimano, 21 speed	WEIGHT	13.7 kg / 16"



MODEL	OUTSET	UNICA
SIZE	15", 17", 19", 21"	16", 18"
FRAME	alloy 6061 26"	alloy 6061 26" (L)
FRONT FORK	RST Capa 26 T (80 mm)	RST Capa 26 T (80 mm)
CHAINWHEEL	PROWHEEL 42-34-24 teeth 170 mm cranks	PROWHEEL 42-34-24 teeth 170 mm cranks
FRONT DERAILLEUR	SHIMANO TY500 (34.9)	SHIMANO TY500 (34.9)
REAR DERAILLEUR	SHIMANO TY500	SHIMANO TY500
SHIFTERS	SHIMANO (21)	SHIMANO (21)
FREEWHEEL	SHIMANO MF-TZ500 14-28 (7)	SHIMANO MF-TZ500 14-28 (7)
CHAIN	KMC Z7	KMC Z7
HUBS	QUANDO 36 holes	QUANDO 36 holes
BRAKES	TEKTRO V	TEKTRO V
TIRES	AUTHOR Rocket 26" x 2.10"	AUTHOR Speed Master 26" x 2.00"
PEDALS	resin	resin
SEAT POST	alloy (31.6)	alloy (31.6)
SADDLE	AUTHOR	AUTHOR
SPEED	21	21
WEIGHT	14.1 kg / 19"	13.7 kg / 16"





SHIMANO
1x12

BOOST 12x148

15x100



CONTEXT 29 ASL



FRAME	triple butted hydroformed alloy 6061	CASSETTE	Shimano CS-M7100, 12 speed (10-51 teeth)
FORK	RST F1RST 29 15 TRL, (100 mm travel)	BRAKES	Shimano BRMT400 (7"), hydraulic
CHAINWHEEL	Shimano (32 teeth), BB unit	TIRES	Vittoria Barzo kevlar 29" x 2.25"
REAR DERAILEUR / SHIFTERS	Shimano SLX, 12 speed	WEIGHT	12.0 kg / 16"

SHIMANO
2 x 10



INSTINCT 29 ASL



FRAME	double butted hydroformed alloy 6061	CASSETTE	Shimano CS-HG500-10, 10 speed (11-42 teeth)
FORK	RST F1RST 29 15 TRL (100 mm travel)	BRAKES	Shimano BRMT400 (7"), hydraulic
CHAINWHEEL	Shimano Deore (36-26 teeth), BB unit	TIRES	Vittoria Barzo kevlar 29" x 2,25"
REAR DERAILLEUR / SHIFTERS	Shimano Deore, 20 speed	WEIGHT	12.5 kg / 16"

SHIMANO
2 x 10

TRACTION 29 ASL



FRAME	double butted hydroformed alloy 6061 (ASL)
--------------	--

FORK	RST Aerial 29 TnL (100 mm travel)
-------------	-----------------------------------

CHAINWHEEL	Shimano (36-26 teeth), BB unit
-------------------	--------------------------------

REAR DERAILLEUR / SHIFTERS	Shimano Deore, 20 speed
-----------------------------------	-------------------------

CASSETTE	Shimano CS-HG500-10, 10 speed (11-42 teeth)
-----------------	---

BRAKES	Tektro Gemini WS (7"), hydraulic
---------------	----------------------------------

TIRES	Vittoria Barzo kevlar 29" x 2.25"
--------------	-----------------------------------

WEIGHT	13.2 kg / 16"
---------------	---------------



SPIRIT 29 ASL



FRAME	hydroformed alloy 6061 (ASL)	CASSETTE	Shimano CS-HG400-9, 9 speed (11-34 teeth)
FORK	RST Aerial 29 TnL (100 mm travel)	BRAKES	Tektro Auriga WS (7"), hydraulic
CHAINWHEEL	Shimano M4000 (40-30-22 teeth)	TIRES	Author Speed Master 29" x 2.00"
REAR DERAILLEUR / SHIFTERS	Shimano Alivio, 27 speed	WEIGHT	14.0 kg / 16"



VARIANT [B]

SOLUTION 29 ASL

FRAME	alloy 6061 (ASL)	CASSETTE	Shimano CS-HG200-9, 9 speed (11-34 teeth)
FORK	RST Blaze 29 ML (100 mm travel)	BRAKES	Tektro Auriga WS (7"), hydraulic
CHAINWHEEL	Suntour XCM (40-30-22 teeth)	TIRES	Author Speed Master 29" x 2.00"
REAR DERAILLEUR / SHIFTERS	Shimano Altus, 27 speed	WEIGHT	14.9 kg / 16"



MODEL	CONTEXT 29 ASL	INSTINCT 29 ASL	TRACTION 29 ASL	SPIRIT 29 ASL	SOLUTION 29 ASL
SIZE	16", 18"	16", 18"	16", 18"	16", 18"	16", 18"
FRAME	triple butted hydroformed alloy 6061 29"	double butted hydroformed alloy 6061 29"	double butted hydroformed alloy 6061 29" (ASL)	hydroformed alloy 6061 29" (ASL)	alloy 6061 29" (ASL)
FRONT FORK	RST F1RST 29 15 TRL air, remote lock out (100 mm)	RST F1RST 29 15 TRL air, remote lock out (100 mm)	RST Aerial 29 TnL air, lock out (100 mm)	RST Aerial 29 TnL air, lock out (100 mm)	RST Blaze 29 ML oil, lock out (100 mm)
CHAINWHEEL	SHIMANO 32 teeth 170 / 175 mm cranks	SHIMANO Deore 36-26 teeth 170 / 175 mm cranks	SHIMANO 36-26 teeth 170 / 175 mm cranks	SHIMANO M4000 40-30-22 teeth 170 / 175 mm cranks	SUNTOUR XCM 40-30-22 teeth 170 / 175 mm cranks
FRONT DERAILLEUR	-	SHIMANO Deore (34.9)	SHIMANO Deore (34.9)	SHIMANO Alivio (34.9)	SHIMANO Altus (34.9)
REAR DERAILLEUR	SHIMANO SLX	SHIMANO Deore	SHIMANO Deore	SHIMANO Alivio	SHIMANO Altus
SHIFTERS	SHIMANO SLX (12)	SHIMANO Deore (20)	SHIMANO Deore (20)	SHIMANO Alivio (27)	SHIMANO Altus (27)
FREEWHEEL	SHIMANO M7100 10-51 (12)	SHIMANO HG500-10 11-42 (10)	SHIMANO HG500-10 11-42 (10)	SHIMANO HG400-9 11-34 (9)	SHIMANO HG200-9 11-34 (9)
CHAIN	KMC X12	KMC X10	KMC X10	KMC Z9	KMC Z9
HUBS	AUTHOR Helium 15 / SHIMANO 15 x 100 mm thru front axle 12 x 148 mm thru rear axle 32 holes	AUTHOR Helium 15 / Xenon 15 x 100 mm thru axle 32 holes	AUTHOR Radon 32 holes	QUANDO Disc 32 holes	QUANDO Disc 32 holes
BRAKES	SHIMANO BRMT400 disc hydraulic (7" rotors)	SHIMANO BRMT400 disc hydraulic (7" rotors)	TEKTRO Gemini disc hydraulic (7" rotors)	TEKTRO Auriga disc hydraulic (7" rotors)	TEKTRO Auriga disc hydraulic (7" rotors)
TIRES	VITTORIA Barzo kevlar 29" x 2.25"	VITTORIA Barzo kevlar 29" x 2.25"	VITTORIA Barzo kevlar 29" x 2.25"	AUTHOR Speed Master 29" x 2.00"	AUTHOR Speed Master 29" x 2.00"
PEDALS	-	-	AUTHOR alloy	AUTHOR alloy	resin
SEAT POST	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)
SADDLE	AUTHOR Fenix	AUTHOR Fenix	AUTHOR Fenix	AUTHOR Fenix	AUTHOR Fenix
SPEED	12	20	20	27	27
WEIGHT	12.0 kg / 16"	12.5 kg / 16"	13.2 kg / 16"	14.0 kg / 16"	14.9 kg / 16"

SHIMANO
2x10

INSTINCT ASL



FRAME	double butted hydroformed alloy 6061 (ASL)	CASSETTE	Shimano CS-HG500-10, 10 speed (11-42 teeth)
FORK	RST F1RST 27.5 Air (100 mm travel)	BRAKES	Shimano BT M400 (6"), hydraulic
CHAINWHEEL	Shimano Deore (36-26 teeth), BB unit	TIRES	Vittoria Barzo kevlar 27.5" x 2.25"
REAR DERAILLEUR / SHIFTERS	Shimano Deore, 20 speed	WEIGHT	12.1 kg / 16"

SHIMANO
2x10



TRACTION ASL



FRAME double butted hydroformed alloy 6061 (ASL)

FORK RST Aerial 27.5 TnL (100 mm travel)

CHAINWHEEL Shimano (36-26 teeth), BB unit

REAR DERAILLEUR / SHIFTERS Shimano Deore, 20 speed

CASSETTE Shimano CS-HG500-10, 10 speed (11-42 teeth)

BRAKES Tektro Gemini WS (6"), hydraulic

TIRES Vittoria Barzo kevlar 27.5" x 2.25"

WEIGHT 12.8 kg / 16"



SPIRIT ASL



FRAME	hydroformed alloy 6061 (ASL)	CASSETTE	Shimano CS-HG400-9, 9 speed (11-34 teeth)
FORK	RST Aerial 27.5 TnL (100 mm travel)	BRAKES	Tektro Auriga WS (6"), hydraulic
CHAINWHEEL	Shimano M4000 (40-30-22 teeth)	TIRES	Author Speed Master 27.5" × 2.00"
REAR DERAILLEUR / SHIFTERS	Shimano Alivio, 27 speed	WEIGHT	13.7 kg / 16"



PEGAS ASL



FRAME	hydroformed alloy 6061 (ASL)	CASSETTE	Shimano CS-HG200-9, 9 speed (11-34 teeth)
FORK	RST Blaze 27.5 TnL (100 mm travel)	BRAKES	Tektro Auriga WS (6"), hydraulic
CHAINWHEEL	Suntour XCM (40-30-22 teeth)	TIRES	Author Speed Master 27.5" x 2.00"
REAR DERAILLEUR / SHIFTERS	Shimano Acera, 27 speed	WEIGHT	14.5 kg / 16"



VARIANT [B]

SOLUTION ASL

FRAME	alloy 6061 (ASL)	CASSETTE	Shimano CS-HG200-9, 9 speed (11-34 teeth)
FORK	RST Blaze 27.5 ML (100 mm travel)	BRAKES	Tektro Auriga WS (6"), hydraulic
CHAINWHEEL	Suntour XCM (40-30-22 teeth)	TIRES	Author Speed Master 27.5" x 2.00"
REAR DERAILLEUR / SHIFTERS	Shimano Altus, 27 speed	WEIGHT	14.3 kg / 16"



IMPULSE ASL



VARIANT [B]

FRAME	alloy 6061 (ASL)	CASSETTE	Shimano CS-HG200-8, 8 speed (12-32 teeth)
FORK	RST Gila 27.5 ML (100 mm travel)	BRAKES	Tektro (6"), hydraulic
CHAINWHEEL	Prowheel (42-34-24 teeth)	TIRES	Author Speed Master 27.5" x 2.00"
REAR DERAILLEUR / SHIFTERS	Shimano Altus, 24 speed	WEIGHT	13.9 kg / 16"





VARIANT [B]

RIVAL ASL

FRAME	alloy 6061 (ASL)
FORK	RST Gila 27.5 T (100 mm travel)
CHAINWHEEL	Prowheel (42-34-24 teeth)
REAR DERAILLEUR / SHIFTERS	Shimano TX800, 24 speed

CASSETTE	Shimano CS-HG200-8, 8 speed (12-32 teeth)
BRAKES	Tektro (6"), hydraulic
TIRES	Author Speed Master 27.5" x 2.00"
WEIGHT	14.8 kg / 16"



MODEL	INSTINCT ASL	TRACTION ASL	SPIRIT ASL	PEGAS ASL	SOLUTION ASL
SIZE	16", 18"	14", 16", 18"	16", 18"	14", 16", 18"	14", 16", 18"
FRAME	double butted hydroformed alloy 6061 27.5" (ASL)	double butted hydroformed alloy 6061 27.5" (ASL)	hydroformed alloy 6061 27.5" (ASL)	hydroformed alloy 6061 27.5" (ASL)	alloy 6061 27.5" (ASL)
FRONT FORK	RST F1RST 27.5 15 TRL air, remote lock out (100 mm)	RST Aerial 27.5 TnL air, lock out (100 mm)	RST Aerial 27.5 TnL air, lock out (100 mm)	RST Blaze 27.5 ML oil, lock out (100 mm)	RST Blaze 27.5 ML oil, lock out (100 mm)
CHAINWHEEL	SHIMANO Deore 36-26 teeth 170 / 175 mm cranks	SHIMANO 36-26 teeth 170 / 175 mm cranks	SHIMANO M4000 40-30-22 teeth 170 mm cranks	SUNTOUR XCM 40-30-22 teeth 170 mm cranks	SUNTOUR XCM 40-30-22 teeth 170 mm cranks
FRONT DERAILLEUR	SHIMANO Deore (34.9)	SHIMANO Deore (34.9)	SHIMANO Alivio (34.9)	SHIMANO Alivio (34.9)	SHIMANO Altus (34.9)
REAR DERAILLEUR	SHIMANO Deore	SHIMANO Deore	SHIMANO Alivio	SHIMANO Acera	SHIMANO Altus
SHIFTERS	SHIMANO Deore (20)	SHIMANO Deore (20)	SHIMANO Alivio (27)	SHIMANO Acera (27)	SHIMANO Altus (27)
FREEWHEEL	SHIMANO HG500-10 11-42 (10)	SHIMANO HG500-10 11-42 (10)	SHIMANO HG400-9 11-34 (9)	SHIMANO HG200-9 11-34 (9)	SHIMANO HG200-9 11-34 (9)
CHAIN	KMC X10	KMC X10	KMC Z9	KMC Z9	KMC Z9
HUBS	AUTHOR Xenon 32 holes	AUTHOR Radon 32 holes	QUANDO Disc 32 holes	QUANDO Disc 32 holes	QUANDO Disc 32 holes
BRAKES	SHIMANO BRMT400 disc hydraulic (6" rotors)	TEKTRO Gemini disc hydraulic (6" rotors)	TEKTRO Auriga disc hydraulic (6" rotors)	TEKTRO Auriga disc hydraulic (6" rotors)	TEKTRO Auriga disc hydraulic (6" rotors)
TIRES	VITTORIA Barzo kevlar 27.5" x 2.25"	VITTORIA Barzo kevlar 27.5" x 2.25"	AUTHOR Speed Master 27.5" x 2.00"	AUTHOR Speed Master 27.5" x 2.00"	AUTHOR Speed Master 27.5" x 2.00"
PEDALS	-	AUTHOR alloy	AUTHOR alloy	AUTHOR alloy	resin
SEAT POST	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)
SADDLE	AUTHOR Fenix	AUTHOR Fenix	AUTHOR Fenix	AUTHOR Fenix	AUTHOR Fenix
SPEED	20	20	27	27	27
WEIGHT	12.1 kg / 16"	12.8 kg / 16"	13.7 kg / 16"	14.5 kg / 16"	14.3 kg / 16"

MODEL	IMPULSE ASL	RIVAL ASL
SIZE	16", 18"	14", 16", 18"
FRAME	alloy 6061 27.5" (ASL)	alloy 6061 27.5" (ASL)
FRONT FORK	RST Gila 27.5 ML lock out (100 mm)	RST Gila 27.5 T (100 mm)
CHAINWHEEL	PROWHEEL 42-34-24 teeth 170 mm cranks	PROWHEEL 42-34-24 teeth 170 mm cranks
FRONT DERAILLEUR	SHIMANO TY700 (34.9)	SHIMANO TY700 (34.9)
REAR DERAILLEUR	SHIMANO Altus	SHIMANO TX800
SHIFTERS	SHIMANO Altus (24)	SHIMANO TX800 (24)
FREEWHEEL	SHIMANO HG200-8 12-32 (8)	SHIMANO HG200-8 12-32 (8)
CHAIN	KMC Z8.1	KMC Z8.1
HUBS	QUANDO Disc 32 holes	QUANDO Disc 32 holes
BRAKES	TEKTRO disc hydraulic (6" rotors)	TEKTRO disc mechanical (6" rotors)
TIRES	AUTHOR Speed Master 27.5" × 2.00"	AUTHOR Speed Master 27.5" × 2.00"
PEDALS	resin	resin
SEAT POST	AUTHOR alloy (31.6)	ZOOM alloy (31.6)
SADDLE	AUTHOR Fenix	AUTHOR Fenix
SPEED	24	24
WEIGHT	13.9 kg / 16"	14.8 kg / 16"



CROSS

CROSS BIKES



SHIMANO
2x10

BOOST 15x110



AVION



FRAME	Author C carbon monocoque	CASSETTE	Shimano HG500-10, 10 speed (11-34 teeth)
FORK	Author carbon 1.5" tapered	BRAKES	Shimano Deore (6"), hydraulic
CHAINWHEEL	Shimano GRX 600 (46-30 teeth), BB unit	TIRES	Panaracer Gravel King SK kevlar 700 x 43c
REAR DERAILLEUR / SHIFTERS	Shimano GRX 400 / Tiagra, 20 speed	WEIGHT	10.0 kg / 20"

SHIMANO
3x10

SYNERGY



FRAME	Author C carbon monocoque	CASSETTE	Shimano CS-HG50-10, 10 speed (11-36 teeth)
FORK	RST Vogue Air TRL (60 mm travel)	BRAKES	Tektro Gemini (6"), hydraulic
CHAINWHEEL	Shimano Deore (48-36-26 teeth), BB unit	TIRES	Panaracer Gravel King SK kevlar 700 x 43c
REAR DERAILLEUR / SHIFTERS	Shimano XT / Deore, 30 speed	WEIGHT	11.4 kg / 20"

SHIMANO
3 x 10



CODEX



FRAME	triple butted alloy 6061	CASSETTE	Shimano CS-HG50-10, 10 speed (11-36 teeth)
FORK	RST Vogue Air TRL (80 mm travel)	BRAKES	Tektro Gemini (6"), hydraulic
CHAINWHEEL	Shimano Deore (48-36-26 teeth), BB unit	TIRES	Author Speed Master kevlar 29" x 1.75"
REAR DERAILLEUR / SHIFTERS	Shimano XT / Deore, 30 speed	WEIGHT	12.5 kg / 20"

SHIMANO
3x10

AIRLINE



FRAME	triple butted alloy 6061	CASSETTE	Shimano CS-HG50-10, 10 speed (11-36 teeth)
FORK	RST Vita TnL (80 mm travel)	BRAKES	Tektro Gemini (6"), hydraulic
CHAINWHEEL	Shimano Deore (48-36-26 teeth), BB unit	TIRES	Author Speed Master kevlar 29" x 1.75"
REAR DERAILLEUR / SHIFTERS	Shimano Deore, 30 speed	WEIGHT	12.9 kg / 20"



MISSION



FRAME	triple butted alloy 6061
FORK	RST Vita TnL (80 mm travel)
CHAINWHEEL	Shimano (48-36-26 teeth), BB unit
REAR DERAILLEUR / SHIFTERS	Shimano Alivio, 27 speed

CASSETTE	Shimano CS-HG400-9, 9 speed (11-34 teeth)
BRAKES	Tektro Gemini (6"), hydraulic
TIRES	Author Speed Master 29" x 1.75"
WEIGHT	13.7 kg / 20"



VARIANT [B]

GRAND

FRAME	alloy 6061	CASSETTE	Shimano CS-HG400-9, 9 speed (11-34 teeth)
FORK	RST Vita TnL (80 mm travel)	BRAKES	Tektro Vela (6"), hydraulic
CHAINWHEEL	Suntour NCX (48-36-26 teeth)	TIRES	Author Speed Master 29" x 1.75"
REAR DERAILLEUR / SHIFTERS	Shimano Acera, 27 speed	WEIGHT	14.8 kg / 20"



VARIANT [B]



VARIANT [C]



VERTIGO

FRAME	alloy 6061
FORK	RST Gila 29 TnL (80 mm travel)
CHAINWHEEL	Suntour NCX (48-36-26 zubů)
REAR DERAILLEUR SHIFTERS	Shimano Altus, 27 speed
CASSETTE	Shimano CS-HG200-9, 9 speed (11-34 teeth)
BRAKES	Tektro (6"), hydraulic
TIRES	Author Speed Master 29" x 1.75"
WEIGHT	15.2 kg / 20"



MODEL	AVION	SYNERGY	CODEX	AIRLINE	MISSION
SIZE	16", 18", 20", 22"	16", 18", 20", 22"	16", 18", 20", 22"	18", 20", 22"	16", 18", 20", 22"
FRAME	AUTHOR C karbon monocoque 29"	AUTHOR C karbon monocoque 29"	triple butted alloy 6061 29"	triple butted alloy 6061 29"	triple butted alloy 6061 29"
FRONT FORK	AUTHOR carbon 1.5" tapered	RST Vogue Air TRL air, remote lock out (60 mm)	RST Vogue Air TRL air, remote lock out (80 mm)	RST Vita TnL oil, lock out (80 mm)	RST Vita TnL oil, lock out (80 mm)
CHAINWHEEL	SHIMANO GRX 600 46-30 teeth 170 / 175 mm cranks	SHIMANO Deore 48-36-26 teeth 170 / 175 mm cranks	SHIMANO Deore 48-36-26 teeth 170 / 175 mm cranks	SHIMANO Deore 48-36-26 teeth 170 / 175 mm cranks	SHIMANO T4060 48-36-26 teeth 170 / 175 mm cranks
FRONT DERAILLEUR	SHIMANO GRX 400 (34.9)	SHIMANO Deore (34.9)	SHIMANO Deore (31.8)	SHIMANO Deore (31.8)	SHIMANO Altus (31.8)
REAR DERAILLEUR	SHIMANO GRX 400	SHIMANO XT	SHIMANO XT	SHIMANO Deore	SHIMANO Alivio
SHIFTERS	SHIMANO Tiagra (20)	SHIMANO Deore (30)	SHIMANO Deore (30)	SHIMANO Deore (30)	SHIMANO Alivio (27)
FREEWHEEL	SHIMANO HG500-10 11-34 (10)	SHIMANO HG50-10 11-36 (10)	SHIMANO HG50-10 11-36 (10)	SHIMANO HG50-10 11-36 (10)	SHIMANO HG400-9 11-34 (9)
CHAIN	KMC X10	SHIMANO HG54	KMC X10	KMC X10	KMC 29
HUBS	AUTHOR Xenon 32 holes	AUTHOR Xenon 32 holes	AUTHOR Xenon 32 holes	AUTHOR Radon 32 holes	AUTHOR Radon 32 holes
BRAKES	SHIMANO Deore disc hydraulic (6" rotors)	TEKTRO Gemini disc hydraulic (6" rotors)	TEKTRO Gemini disc hydraulic (6" rotors)	TEKTRO Gemini disc hydraulic (6" rotors)	TEKTRO Gemini disc hydraulic (6" rotors)
TIRES	PANARACER Gravel King SK kevlar 700 × 43c	PANARACER Gravel King SK kevlar 700 × 43c	AUTHOR Speed Master kevlar 29" × 1.75"	AUTHOR Speed Master kevlar 29" × 1.75"	AUTHOR Speed Master 29" × 1.75"
PEDALS	-	-	AUTHOR alloy	AUTHOR alloy	AUTHOR alloy
SEAT POST	AUTHOR alloy (27.2)	AUTHOR alloy (27.2)	AUTHOR alloy (27.2)	AUTHOR alloy (27.2)	AUTHOR alloy (27.2)
SADDLE	AUTHOR Navigator CR	AUTHOR Navigator CR	AUTHOR Sphere Gel	AUTHOR Sphere Gel	AUTHOR Sphere Gel
SPEED	20	30	30	30	27
WEIGHT	10.0 kg / 20"	11.4 kg / 20"	12.5 kg / 20"	12.9 kg / 20"	13.7 kg / 20"

MODEL	GRAND	VERTIGO
SIZE	16", 18", 20", 22"	16", 18", 20", 22"
FRAME	alloy 6061 29"	alloy 6061 29"
FRONT FORK	RST Vita TnL oil, lock out (80 mm)	RST Gila 29 TnL lock out (80 mm)
CHAINWHEEL	SUNTOUR NCX 48-36-26 teeth 170 / 175 mm cranks	SUNTOUR NCX 48-36-26 teeth 170 / 175 mm cranks
FRONT DERAILLEUR	SHIMANO Altus (31.8)	SHIMANO Altus (31.8)
REAR DERAILLEUR	SHIMANO Acera	SHIMANO Altus
SHIFTERS	SHIMANO Acera (27)	SHIMANO Altus (27)
FREEWHEEL	SHIMANO HG400-9 11-34 (9)	SHIMANO HG200-9 11-34 (9)
CHAIN	KMC Z9	KMC Z9
HUBS	QUANDO Disc 32 holes	QUANDO Disc 32 holes
BRAKES	TEKTRO Vela disc hydraulic (6" rotors)	TEKTRO disc hydraulic (6" rotors)
TIRES	AUTHOR Speed Master 29" x 1.75"	AUTHOR Speed Master 29" x 1.75"
PEDALS	AUTHOR alloy	AUTHOR Non Slip resin
SEAT POST	AUTHOR alloy (27.2)	ZOOM alloy (27.2)
SADDLE	AUTHOR Sphere Gel	AUTHOR Sphere
SPEED	27	27
WEIGHT	14.8 kg / 20"	15.2 kg / 20"





VARIANT [B]

CLASSIC

FRAME	alloy 6061	CASSETTE	Shimano CS-HG200-9, 9 speed (11-34 teeth)
FORK	RST Neon ML (60 mm travel)	BRAKES	Tektro V
CHAINWHEEL	Suntour NCX (48-36-26 teeth)	TIRES	Author Cross 700C x 38C
REAR DERAILLEUR / SHIFTERS	Shimano Altus, 27 speed	WEIGHT	13.9 kg / 20"





VARIANT [B]

INTEGRA

FRAME	alloy 6061	CASSETTE	Shimano CS-HG200-9, 9 speed (11-34 teeth)
FORK	RST Neon ML (60 mm travel)	BRAKES	Tektro V
CHAINWHEEL	Suntour NCX (44-32-22 teeth)	TIRES	Author Cross 700C x 38C
REAR DERAILLEUR / SHIFTERS	Shimano Altus, 27 speed	WEIGHT	13.5 kg / 17"





VARIANT [B]

HORIZON

FRAME	alloy 6061	CASSETTE	Shimano CS-HG200-8, 8 speed (12-32 teeth)
FORK	RST Nova ML (60 mm travel)	BRAKES	Tektro (6"), hydraulic
CHAINWHEEL	Prowheel (48-38-28 teeth)	TIRES	Author Cross 700C x 38C
REAR DERAILLEUR / SHIFTERS	Shimano TX800 / Acera, 24 speed	WEIGHT	14.3 kg / 20"





VARIANT [B]

LINEA

FRAME	alloy 6061	CASSETTE	Shimano CS-HG200-8, 8 speed (12-32 teeth)
FORK	RST Neon ML (60 mm travel)	BRAKES	Tektro V
CHAINWHEEL	Prowheel (42-34-24 teeth)	TIRES	Author Cross 700C x 38C
REAR DERAILLEUR / SHIFTERS	Shimano TX800, 24 speed	WEIGHT	13.3 kg / 17"





VARIANT [B]

COMPACT

FRAME	alloy 6061	SPROCKET	Shimano MF-TZ500-7, 7 speed (14-28 teeth)
FORK	RST Neon T (60 mm travel)	BRAKES	Tektro V
CHAINWHEEL	Prowheel (48-38-28 teeth)	TIRES	Author Cross 700C x 38C
REAR DERAILLEUR / SHIFTERS	Shimano TY500 / Shimano, 21 speed	WEIGHT	13.8 kg / 20"





VARIANT [B]

THEMA

FRAME	alloy 6061	SPROCKET	Shimano MF-TZ500-7, 7 speed (14-28 teeth)
FORK	hi-ten 700C	BRAKES	Tektro V
CHAINWHEEL	Prowheel (42-34-24 teeth)	TIRES	Author Cross 700C × 38C
REAR DERAILLEUR / SHIFTERS	Shimano TY500 / Shimano, 21 speed	WEIGHT	12.6 kg / 17"



MODEL	CLASSIC	INTEGRA	HORIZON	LINEA	COMPACT	THEMA
SIZE	18", 20", 22"	17", 19"	16", 18", 20", 22"	17", 19"	18", 20", 22"	17", 19"
FRAME	alloy 6061	alloy 6061 (L)	alloy 6061	alloy 6061 (L)	alloy 6061	alloy 6061 (L)
FRONT FORK	RST Neon ML lock out (60 mm)	Neon ML	RST Nova ML lock out (60 mm)	RST Neon ML lock out (60 mm)	RST Neon T (60 mm)	hi-ten
CHAINWHEEL	SUNTOUR NCX 48-36-26 teeth 170 / 175 mm cranks	SUNTOUR NCX 44-32-22 teeth 170 mm cranks	PROWHEEL 48-38-28 teeth 170 / 175 mm cranks	PROWHEEL 42-34-24 teeth 170 / 175 mm cranks	PROWHEEL 48-38-28 teeth 170 mm cranks	PROWHEEL 42-34-24 teeth 170 mm cranks
FRONT DERAILLEUR	SHIMANO Altus (31.8)	SHIMANO Altus (31.8)	SHIMANO TY700 (31.8)	SHIMANO TY700 (31.8)	SHIMANO TY500 (31.8)	SHIMANO TY500 (31.8)
REAR DERAILLEUR	SHIMANO Altus	SHIMANO Altus	SHIMANO TX800	SHIMANO TX800	SHIMANO TY500	SHIMANO TY500
SHIFTERS	SHIMANO Altus (27)	SHIMANO Altus (27)	SHIMANO Acera (24)	SHIMANO TX800 (24)	SHIMANO (21)	SHIMANO (21)
FREEWHEEL	SHIMANO HG200-9 11-34 (9)	SHIMANO HG200-9 11-34 (9)	SHIMANO HG200-8 12-32 (8)	SHIMANO HG200-8 12-32 (8)	SHIMANO MF-TZ500 14-28 (7)	SHIMANO MF-TZ500 14-28 (7)
CHAIN	KMC Z9	KMC Z9	KMC Z8.1	KMC Z8.1	KMC Z7	KMC Z7
HUBS	QUANDO 32 holes	QUANDO 32 holes	QUANDO 32 holes	QUANDO 32 holes	QUANDO 36 holes	QUANDO 36 holes
BRAKES	TEKTRO V	TEKTRO V	TEKTRO disc hydraulic (6" rotors)	TEKTRO V	TEKTRO V	TEKTRO V
TIRES	AUTHOR Cross 700 x 38c	AUTHOR Cross 700 x 38c	AUTHOR Cross 700 x 38c	AUTHOR Cross 700 x 38c	AUTHOR Cross 700 x 38c	AUTHOR Cross 700 x 38c
PEDALS	AUTHOR Non Slip resin	AUTHOR Non Slip resin	AUTHOR Non Slip resin	AUTHOR Non Slip resin	resin	resin
SEAT POST	ZOOM alloy (27.2)	ZOOM alloy (27.2)	ZOOM alloy (27.2)	ZOOM alloy (27.2)	ZOOM alloy (27.2)	ZOOM alloy (27.2)
SADDLE	AUTHOR Sphere	AUTHOR Noble	AUTHOR Sphere	AUTHOR Noble	AUTHOR Sphere	AUTHOR Noble
SPEED	27	27	24	24	21	21
WEIGHT	13.9 kg / 20"	13.5 kg / 17"	14.3 kg / 20"	13.3 kg / 17"	13.8 kg / 20"	13.3 kg / 17"



CROSSASL

LADIES CROSS BIKES



SHIMANO
3x10



CODEX ASL



FRAME	triple butted alloy 6061 (ASL)	CASSETTE	Shimano CS-HG50-10, 10 speed (11-36 teeth)
FORK	RST Vogue Air TRL (80 mm travel)	BRAKES	Tektro Gemini WS (6"), hydraulic
CHAINWHEEL	Shimano Deore (44-32-24 teeth), BB unit	TIRES	Author Speed Master kevlar 29" x 1.75"
REAR DERAILLEUR / SHIFTERS	Shimano XT / Deore, 30 speed	WEIGHT	12.5 kg / 17"

SHIMANO
3 x 10



AIRLINE ASL



FRAME	triple butted alloy 6061 (ASL)	CASSETTE	Shimano CS-HG50-10, 10 speed (11-36 teeth)
FORK	RST Vita TrL (80 mm travel)	BRAKES	Tektro Gemini WS (6"), hydraulic
CHAINWHEEL	Shimano Deore (44-32-24 teeth), BB unit	TIRES	Author Speed Master kevlar 29" x 1.75"
REAR DERAILEUR / SHIFTERS	Shimano Deore, 30 speed	WEIGHT	12.9 kg / 17"



GRAND ASL



FRAME	alloy 6061 (ASL)	CASSETTE	Shimano CS-HG400-9, 9 speed (11-34 teeth)
FORK	RST Vita TnL (80 mm travel)	BRAKES	Tektro Vela (6"), hydraulic
CHAINWHEEL	Suntour NCX (44-32-22 teeth)	TIRES	Author Speed Master 29" x 1.75"
REAR DERAILLEUR/ SHIFTERS	Shimano Acera, 27 speed	WEIGHT	14.5 kg / 17"



VARIANT [B]

STRATOS ASL

FRAME	alloy 6061 (ASL)	CASSETTE	Shimano CS-HG400-9, 9 speed (11-34 teeth)
FORK	RST Capa 29 ML (80 mm travel)	BRAKES	Tektro V
CHAINWHEEL	Suntour NCX (44-32-22 teeth)	TIRES	Author Speed Master 29" x 1.75"
REAR DERAILLEUR / SHIFTERS	Shimano Acera, 27 speed	WEIGHT	13.9 kg / 17"





VARIANT [B]

VERTIGO ASL

FRAME	alloy 6061 (ASL)	CASSETTE	Shimano CS-HG200-9, 9 speed (11-34 teeth)
FORK	RST Gila 29 TnL (80 mm travel)	BRAKES	Tektro WS (6"), hydraulic
CHAINWHEEL	Suntour NCX (44-32-22 teeth)	TIRES	Author Speed Master 29" x 1.75"
REAR DERAILEUR / SHIFTERS	Shimano Altus, 27 speed	WEIGHT	14.9 kg / 17"





VARIANT [B]

HORIZON ASL

FRAME	alloy 6061 (ASL)	CASSETTE	Shimano CS-HG200-8, 8 speed (12-32 teeth)
FORK	RST Nova ML (60 mm travel)	BRAKES	Tektro (6"), hydraulic
CHAINWHEEL	Prowheel (42-34-24 teeth)	TIRES	Author Cross 700C x 38C
REAR DERAILEUR / SHIFTERS	Shimano TX800 / Acera, 24 speed	WEIGHT	13.9 kg / 17"



MODEL	CODEX ASL	AIRLINE ASL	GRAND ASL	STRATOS ASL	VERTIGO ASL	HORIZON ASL
SIZE	15", 17", 19"	17", 19"	15", 17", 19"	17", 19"	15", 17", 19"	15", 17", 19"
FRAME	triple butted alloy 6061 29" (ASL)	triple butted alloy 6061 29" (ASL)	alloy 6061 29" (ASL)	alloy 6061 29" (ASL)	alloy 6061 29" (ASL)	alloy 6061 (ASL)
FRONT FORK	RST Vogue Air TRL air, remote lock out (80 mm)	RST Vita TnL oil, lock out (80 mm)	RST Vita TnL oil, lock out (80 mm)	RST Capa 29 ML lock out (80 mm)	RST Gila 29 TnL lock out (80 mm)	RST Nova ML lock out (60 mm)
CHAINWHEEL	SHIMANO Deore 44-32-24 teeth 170 / 175 mm cranks	SHIMANO Deore 44-32-24 teeth 170 / 175 mm cranks	SUNTOUR NCX 44-32-22 teeth 170 mm cranks	SUNTOUR NCX 44-32-22 teeth 170 mm cranks	SUNTOUR NCX 44-32-22 teeth 170 / 175 mm cranks	PROWHEEL 42-34-24 teeth 170 / 175 mm cranks
FRONT DERAILLEUR	SHIMANO Deore (31.8)	SHIMANO Deore (31.8)	SHIMANO Altus (31.8)	SHIMANO Altus (31.8)	SHIMANO Altus (31.8)	SHIMANO TY700 (31.8)
REAR DERAILLEUR	SHIMANO XT	SHIMANO Deore	SHIMANO Acera	SHIMANO Acera	SHIMANO Altus	SHIMANO TX800
SHIFTERS	SHIMANO Deore (30)	SHIMANO Deore (30)	SHIMANO Acera (27)	SHIMANO Acera (27)	SHIMANO Altus (27)	SHIMANO Acera (24)
FREEWHEEL	SHIMANO HG50-10 11-36 (10)	SHIMANO HG50-10 11-36 (10)	SHIMANO HG400-9 11-34 (9)	SHIMANO HG400-9 11-34 (9)	SHIMANO HG200-9 11-34 (9)	SHIMANO HG200-8 12-32 (8)
CHAIN	KMC X10	KMC X10	KMC Z9	KMC Z9	KMC Z9	KMC Z8.1
HUBS	AUTHOR Xenon 32 holes	AUTHOR Radon 32 holes	QUANDO Disc 32 holes	QUANDO 32 holes	QUANDO Disc 32 holes	QUANDO 32 holes
BRAKES	TEKTRO Gemini disc hydraulic (6" rotors)	TEKTRO Gemini disc hydraulic (6" rotors)	TEKTRO Vela disc hydraulic (6" rotors)	TEKTRO V	TEKTRO disc hydraulic (6" rotors)	TEKTRO disc hydraulic (6" rotors)
TIRES	AUTHOR Speed Master kevlar 29" x 1.75"	AUTHOR Speed Master kevlar 29" x 1.75"	AUTHOR Speed Master 29" x 1.75"	AUTHOR Speed Master 29" x 1.75"	AUTHOR Speed Master 29" x 1.75"	AUTHOR Cross 700 x 38c
PEDALS	AUTHOR Non Slip alloy	AUTHOR Non Slip alloy	AUTHOR Non Slip alloy	AUTHOR Non Slip alloy	AUTHOR Non Slip resin	AUTHOR Non Slip resin
SEAT POST	AUTHOR alloy (27.2)	AUTHOR alloy (27.2)	AUTHOR alloy (27.2)	AUTHOR alloy (27.2)	ZOOM alloy (27.2)	ZOOM alloy (27.2)
SADDLE	AUTHOR Area Gel	AUTHOR Area Gel	AUTHOR Area Gel	AUTHOR Area Gel	AUTHOR Area	AUTHOR Area
SPEED	30	30	27	27	27	24
WEIGHT	12.5 kg / 17"	12.9 kg / 17"	14.5 kg / 17"	13.9 kg / 17"	14.9 kg / 17"	13.9 kg / 17"





VOYAGE



FRAME	alloy 6061 700c
--------------	-----------------

FORK	hi-ten 700c
-------------	-------------

CHAINWHEEL	Lasco (38 teeth)
-------------------	------------------

REAR DERAILLEUR / SHIFTERS	Shimano Altus / Revoshift, 8 speed
-----------------------------------	------------------------------------

CASSETTE	Shimano CS-HG31-8, 8 speed (11-34 teeth)
-----------------	--

BRAKES	Promax V
---------------	----------

TIRES	CST Sensamo Speed 700 x 35c
--------------	-----------------------------

WEIGHT	13.0 kg / 20"
---------------	---------------



VARIANTA [B]

GLORIA | CENA 12 990 Kč

FRAME	alloy 6061 700c	CASSETTE	Shimano CS-HG31-8, 8 speed (11-34 teeth)
FORK	hi-ten 700c	BRAKES	Promax V
CHAINWHEEL	Lasco (38 teeth)	TIRES	CST Sensamo Speed 700 x 35c
REAR DERAILLEUR / SHIFTERS	Shimano Altus / Revoshift, 8 speed	WEIGHT	13.4 kg / 17"





VARIANT [B]

SIMPLEX

FRAME	alloy 7005 folding
FORK	hi-ten 20"
CHAINWHEEL	Prowheel (52 teeth)
REAR DERAILLEUR SHIFTERS	Shimano Altus / Revoshift, 8 speed
CASSETTE	Shimano CS-HG200-8, 8 speed (11-32 teeth)
BRAKES	Tektro V
TIRES	Kenda 20" × 1.50"
WEIGHT	12.6 kg / M



MODEL	VOYAGE	GLORIA	SIMPLEX
SIZE	18", 20", 22"	17", 19"	M
FRAME	alloy 6061 700c	alloy 6061 700c (L)	alloy 7005 folding
FRONT FORK	hi-ten	hi-ten	hi-ten
CHAINWHEEL	LASCO 38 teeth 170 mm cranks	LASCO 38 teeth 170 mm cranks	PROWHEEL 52 teeth 170 mm cranks
FRONT DERAILLEUR	-	-	-
REAR DERAILLEUR	SHIMANO Altus	SHIMANO Altus	SHIMANO Altus
SHIFTERS	SHIMANO Revoshift (8)	SHIMANO Revoshift (8)	SHIMANO Revoshift (8)
FREEWHEEL	SHIMANO HG-31 11-34 (8)	SHIMANO HG-31 11-34 (8)	SHIMANO HG-200-8 11-32 (8)
CHAIN	KMC 8.1	KMC 8.1	TAYA TB-65
HUBS	QUANDO 32 holes	QUANDO 32 holes	QUANDO 28 holes
BRAKES	PROMAX V	PROMAX V	TEKTRO V
TIRES	CST Sensamo Speed 700 × 35c	CST Sensamo Speed 700 × 35c	KENDA K-193 20" × 1.50"
PEDALS	WELLGO Non Slip alloy	WELLGO Non Slip alloy	resin folding
SEAT POST	alloy (27.2)	alloy (27.2)	alloy (33.9)
SADDLE	AUTHOR King Sofa	AUTHOR Queen Sofa	AUTHOR Courier
SPEED	8	8	8
WEIGHT	13.0 kg / 20"	13.4 kg / 17"	12.6 kg / M

JUNIOR

JUNIOR BIKES



SHIMANO
1x11



ULTRASONIC 27.5



FRAME	triple butted hydroformed alloy 6061 14" and 16"
FORK	RST F1RST 27.5 (80 mm travel)
CHAINWHEEL	Suntour Zeron (32 teeth)
REAR DERAILLEUR / SHIFTERS	Shimano SLX, 11 speed

CASSETTE	Shimano CS-M7000-11, 11 speed (11-46 teeth)
BRAKES	Promax (6"), hydraulic
TIRES	CST B-Trail kevlar 27.5" x 2.25"
WEIGHT	11.5 kg / 14"

SHIMANO
1x10



ULTRASONIC 26



FRAME	triple butted hydroformed alloy 6061 13.5"	CASSETTE	Shimano CS-HG500-10, 10 speed (11-42 teeth)
FORK	alloy 6061 26"	BRAKES	Promax (6"), hydraulic
CHAINWHEEL	Suntour Zeron (32 teeth)	TIRES	CST B-Trail kevlar 26" × 2.10"
REAR DERAILLEUR / SHIFTERS	Shimano Deore, 10 speed	WEIGHT	10.5 kg / 13.5"

SHIMANO
1x10



CHAMPION 26



FRAME	triple butted hydroformed alloy 6061 13.5"
FORK	alloy 6061 26"
CHAINWHEEL	Suntour Zeron (32 teeth)
REAR DERAILLEUR / SHIFTERS	Shimano Deore, 10 speed

CASSETTE	Shimano CS-HG500-10, 10 speed (11-42 teeth)
BRAKES	Tektro V
TIRES	CST B-Trail kevlar 26" x 2.10"
WEIGHT	10.0 kg / 13.5"



SONIC 26



FRAME	triple butted hydroformed alloy 6061 13.5"	CASSETTE	Shimano CS-HG200-8, 8 speed (12-32 teeth)
FORK	RST Gila TnL 26 (80 mm travel)	BRAKES	Tektro V
CHAINWHEEL	Suntour XCT-JR (42-32-22 teeth)	TIRES	CST B-Trail kevlar 26" × 2.10"
REAR DERAILLEUR / SHIFTERS	Shimano Acera, 24 speed	WEIGHT	12.5 kg / 13.5"



VARIANT [B]

A-MATRIX 26D

FRAME	alloy 6061 13.5"	CASSETTE	Shimano CS-HG200-9, 9 speed (11-36 teeth)
FORK	RST Capa T 26 (80 mm travel)	BRAKES	Tektro (6"), mechanical
CHAINWHEEL	Prowheel (32 teeth)	TIRES	Author Speed Master 26" x 2.00"
REAR DERAILLEUR / SHIFTERS	Shimano Altus, 9 speed	WEIGHT	12.9 kg / 13.5"





VARIANT [B]

A-MATRIX 26

FRAME	alloy 6061 13.5"	SPROCKET	Shimano MF-TZ500-6, 6 speed (14-28 teeth)
FORK	RST Capa T 26 (80 mm travel)	BRAKES	Tektro V
CHAINWHEEL	Prowheel (42-34-24 teeth)	TIRES	Author Speed Master 26" x 2.00"
REAR DERAILLEUR / SHIFTERS	Shimano TY21 / Revoshift, 18 speed	WEIGHT	12.9 kg / 13.5"





VARIANT [D]

A-MATRIX 26

FRAME	alloy 6061 13.5"	SPROCKET	Shimano MF-TZ500-6, 6 speed (14-28 teeth)
FORK	RST Capa T 26 (80 mm travel)	BRAKES	Tektro V
CHAINWHEEL	Prowheel (42-34-24 teeth)	TIRES	Author Speed Master 26" x 2.00"
REAR DERAILEUR / SHIFTERS	Shimano TY21 / Revoshift, 18 speed	WEIGHT	12.9 kg / 13.5"



VARIANT [C]

SHIMANO
1x9



ULTRASONIC 24



FRAME	triple butted hydroformed alloy 6061 12"	CASSETTE	Shimano CS-HG400-9, 9 speed (11-36 teeth)
FORK	alloy 6061 24"	BRAKES	Tektro V
CHAINWHEEL	Lasco (32 teeth)	TIRES	Kenda Small Block Eight kevlar 24" x 1.95"
REAR DERAILLEUR / SHIFTERS	Shimano Alivio, 9 speed	WEIGHT	9.8 kg / 12"



VARIANT [B]

MIRAGE 24

FRAME	triple butted hydroformed alloy 6061 12"	CASSETTE	Shimano CS-HG201-9, 9 speed (11-36 teeth)
FORK	RST Capa T 24 (50 mm travel)	BRAKES	Tektro (5"), mechanical
CHAINWHEEL	Lasco FM25 (32 teeth)	TIRES	Kenda Small Block Eight kevlar 24" x 1.95"
REAR DERAILEUR / SHIFTERS	Shimano Acera, 9 speed	WEIGHT	11.6 kg / 12"





VARIANT [B]

A-MATRIX SL 24

FRAME	alloy 6061 12.5" (ASL)	CASSETTE	Shimano CS-HG31, 8 speed (11-34 teeth)
FORK	RST Capa T 24 (50 mm travel)	BRAKES	Tektro V
CHAINWHEEL	Prowheel (32 teeth)	TIRES	24" x 1.75"
REAR DERAILLEUR / SHIFTERS	Shimano TX800 / Revoshift, 8 speed	WEIGHT	11.9 kg / 12.5"





VARIANT [B]

A-MATRIX 24

FRAME	alloy 6061 12.5"	SPROCKET	Shimano MF-TZ500-6, 6 speed (14-28 teeth)
FORK	RST Capa T 24 (50 mm travel)	BRAKES	Tektro V
CHAINWHEEL	Prowheel (42-34-24 teeth)	TIRES	24" x 1.75"
REAR DERAILLEUR / SHIFTERS	Shimano TY21 / Revoshift, 18 speed	WEIGHT	12.2 kg / 12.5"





VARIANT [B]

MATRIX 24

FRAME	hi-ten 12.5"	SPROCKET	Shimano MF-TZ500-6, 6 speed (14-28 teeth)
FORK	Zoom (40 mm travel)	BRAKES	Tektro V
CHAINWHEEL	Prowheel (42-34-24 teeth)	TIRES	24" x 1.75"
REAR DERAILLEUR / SHIFTERS	Shimano TY21 / Revoshift, 18 speed	WEIGHT	12.2 kg / 12.5"





VARIANT [B]

ULTIMA 24

FRAME	alloy 6061 12.5"	CASSETTE	Shimano CS-HG31, 8 speed (11-34 teeth)
FORK	hi-ten 24"	BRAKES	Tektro V
CHAINWHEEL	Prowheel (32 teeth)	TIRES	24" x 1.50"
REAR DERAILLEUR / SHIFTERS	Shimano TX800 / Revoshift, 8 speed	WEIGHT	10.9 kg / 12.5"





RECORD 20



FRAME	alloy 6061 10"	CASSETTE	Shimano CS-HG200-7, 7 speed (12-32 teeth)
FORK	alloy 20"	BRAKES	Tektro V
CHAINWHEEL	Prowheel (36 teeth)	TIRES	Kenda Small Block Eight kevlar 20" x 1.75"
REAR DERAILEUR / SHIFTERS	Shimano TY300 / Revoshift, 7 speed	WEIGHT	8.6 kg / 10"



SMART 20



FRAME	alloy 6061 10"	SPROCKET	Shimano MF-TZ500-6, 6 speed (14-28 teeth)
FORK	RST Capa T 20 (50 mm travel)	BRAKES	Tektro V
CHAINWHEEL	Prowheel (36 teeth)	TIRES	20" x 1.75"
REAR DERAILLEUR/ SHIFTERS	Shimano TY21 / Revoshift, 6 speed	WEIGHT	10.6 kg / 10"



VARIANT [B]

COSMIC 20

FRAME	alloy 6061 10"	SPROCKET	Shimano MF-TZ500-6, 6 speed (14-28 teeth)
FORK	hi-ten 20"	BRAKES	Tektro V
CHAINWHEEL	Prowheel (36 teeth)	TIRES	20" x 1.75"
REAR DERAILLEUR / SHIFTERS	Shimano TY21 / Revoshift, 6 speed	WEIGHT	8.9 kg / 10"



COSMIC 20

FRAME	alloy 6061 10"	SPROCKET	Shimano MF-TZ500-6, 6 speed (14-28 teeth)
FORK	hi-ten 20"	BRAKES	Tektro V
CHAINWHEEL	Prowheel (36 teeth)	TIRES	20" x 1.75"
REAR DERAILLEUR / SHIFTERS	Shimano TY21 / Revoshift, 6 speed	WEIGHT	8.9 kg / 10"



VARIANT [D]



VARIANT [C]





MELODY 20



FRAME	alloy 6061 10"	SPROCKET	Shimano MF-TZ500-6, 6 speed (14-28 teeth)
FORK	hi-ten 20"	BRAKES	Tektro V
CHAINWHEEL	Prowheel (36 teeth)	TIRES	20" × 1.50"
REAR DERAILLEUR / SHIFTERS	Shimano TY21 / Revoshift, 6 speed	WEIGHT	10.6 kg / 10"



VARIANT [B]

ENERGY 20

FRAME	hi-ten 10"	SPROCKET	Shimano MF-TZ500-6, 6 speed (14-28 teeth)
FORK	hi-ten 20"	BRAKES	Tektro V
CHAINWHEEL	Prowheel (36 teeth)	TIRES	20" x 1.75"
REAR DERAILLEUR / SHIFTERS	Shimano TY21 / Revoshift, 6 speed	WEIGHT	10.9 kg / 10"





KING KONG 16



FRAME	alloy 6061 9"
FORK	alloy 16"
CHAINWHEEL	Lasco (32 teeth)
SPROCKET	1 speed (16 teeth)

BRAKES	Tektro V / coasterhub
TIRES	16" x 2.25"
WEIGHT	7,8 kg / 9"



VARIANT [B]

RECORD 16

FRAME	alloy 6061 9"
FORK	alloy 16"
CHAINWHEEL	Lasco (32 teeth)
SPROCKET	1 speed (16 teeth)

BRAKES	Tektro V / coasterhub
TIRES	Kenda Small Block Eight 16" x 1.50"
WEIGHT	6.5 kg / 9"





VARIANT [B]

STYLO 16

FRAME alloy 6061 9"

FORK hi-ten 16"

CHAINWHEEL Prowheel (32 teeth)

SPROCKET 1 speed (16 teeth)

BRAKES Tektro V / coasterhub

TIRES 16" x 1.75"

WEIGHT 7.8 kg / 9"





VARIANT [B]

BELLO 16

FRAME	alloy 6061 9"	BRAKES	Tektro V / coasterhub
FORK	hi-ten 16"	TIRES	16" x 1.50"
CHAINWHEEL	Prowheel (32 teeth)	WEIGHT	8.3 kg / 9"
SPROCKET	1 speed (16 teeth)		





VARIANT [B]

ORBIT

FRAME	hi-ten 9"
FORK	hi-ten 16"
CHAINWHEEL	Prowheel (32 teeth)
SPROCKET	1 speed (16 teeth)

BRAKES	Tektro V / coasterhub
TIRES	16" x 1.75"
WEIGHT	9.4 kg / 9"



MODEL	ULTRASONIC 27.5	ULTRASONIC 26	CHAMPION 26	SONIC 26	A-MATRIX 26 DISC	A-MATRIX 26	ULTRASONIC 24
SIZE	14", 16"	13.5"	13.5"	13.5"	13.5"	13.5"	12"
FRAME	triple butted hydroformed alloy 6061 27.5"	triple butted hydroformed alloy 6061 26"	triple butted hydroformed alloy 6061 26"	triple butted hydroformed alloy 6061 26"	alloy 6061 26"	alloy 6061 26"	triple butted hydroformed alloy 6061 24"
FRONT FORK	RST F1RST 27.5 air, lock out (80 mm)	alloy 6061 26"	alloy 6061 26"	RST Gila 26 TrL lock out (80 mm)	RST Capa T 26 (80 mm)	RST Capa T 26 (80 mm)	alloy 6061 24"
CHAINWHEEL	SUNTOUR Zeron 32 teeth 160 / 170 mm cranks	SUNTOUR Zeron 32 teeth 160 mm cranks	SUNTOUR Zeron 32 teeth 160 mm cranks	SUNTOUR XCT-JR 42-32-22 teeth 160 mm cranks	PROWHEEL 32 teeth 160 mm cranks	PROWHEEL 42-34-24 teeth 152 mm cranks	LASCO 32 teeth 150 mm cranks
FRONT DERAILLEUR	-	-	-	SHIMANO TY700 (34.9)	-	SHIMANO TY500 (31.8)	-
REAR DERAILLEUR	SHIMANO SLX	SHIMANO Deore	SHIMANO Deore	SHIMANO Acera	SHIMANO Altus	SHIMANO TY21	SHIMANO Alivio
SHIFTERS	SHIMANO SLX (11)	SHIMANO Deore (10)	SHIMANO Deore (10)	SHIMANO Acera (24)	SHIMANO Altus (9)	SHIMANO Revoshift (18)	SHIMANO Alivio (9)
FREEWHEEL	SHIMANO M7000-11 11-46 (11)	SHIMANO HG500-10 11-42 (10)	SHIMANO HG500-10 11-42 (10)	SHIMANO HG200-8 12-32 (8)	SHIMANO HG200-9 11-36 (9)	SHIMANO MF-TZ500 14-28 (6)	SHIMANO HG400-9 11-36 (9)
CHAIN	SHIMANO HG601	KMC X10	KMC X10	KMC Z8.1	KMC Z9	KMC Z6	KMC Z9
HUBS	AUTHOR Xenon 32 holes	AUTHOR Xenon 32 holes	QUANDO 32 holes	QUANDO 32 holes	QUANDO Disc 32 holes	QUANDO 32 holes	QUANDO 24 holes
BRAKES	PROMAX disc hydraulic (6" rotors)	PROMAX disc hydraulic (6" rotors)	TEKTRO V	TEKTRO V	TEKTRO disc mechanical (6" rotors)	TEKTRO V	TEKTRO V
TIRES	CST B-Trail kevlar 27.5" x 2.25"	CST B-Trail kevlar 26" x 2.10"	CST B-Trail kevlar 26" x 2.10"	CST B-Trail kevlar 26" x 2.10"	AUTHOR Speed Master 26" x 2.00"	AUTHOR Speed Master 26" x 2.00"	KENDA Small Block Eight kevlar 24" x 1.95"
PEDALS	-	alloy	resin	resin	resin	resin	alloy
SEAT POST	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	AUTHOR alloy (31.6)	alloy (27.2)	alloy (27.2)	AUTHOR alloy (31.6)
SADDLE	AUTHOR Champion CR	AUTHOR Champion CR	AUTHOR Champion	AUTHOR Champion	AUTHOR	AUTHOR	AUTHOR Champion
SPEED	11	10	10	24	9	18	9
WEIGHT	11.5 kg / 14"	10.5 kg / 13.5"	10.0 kg / 13.5"	12.5 kg / 13.5"	12.9 kg / 13.5"	12.9 kg / 13.5"	9.8 kg / 12"

MODEL	MIRAGE 24	A-MATRIX SL 24	A-MATRIX 24	MATRIX 24	ULTIMA 24	RECORD 20	SMART 20
SIZE	12"	12.5"	12.5"	12.5"	12.5"	10"	10"
FRAME	triple butted hydroformed alloy 6061 24"	alloy 6061 24" (ASL)	alloy 6061 24"	hi-ten 24"	alloy 6061 24" (L)	alloy 6061 20"	alloy 6061 20"
FRONT FORK	RST Capa T 24 (50 mm)	RST Capa T 24 (50 mm)	RST Capa T 24 (50 mm)	ZOOM (40 mm)	hi-ten	alloy	RST Capa T 20 (50 mm)
CHAINWHEEL	LASCO 32 teeth 150 mm cranks	PROWHEEL 32 teeth 152 mm cranks	PROWHEEL 42-34-24 teeth 152 mm cranks	PROWHEEL 42-34-24 teeth 152 mm cranks	PROWHEEL 32 teeth 152 mm cranks	PROWHEEL 36 teeth 127 mm cranks	PROWHEEL 36 teeth 127 mm cranks
FRONT DERAILEUR	-	-	SHIMANO TY500 (31.8)	SHIMANO TY500 (28.6)	-	-	-
REAR DERAILEUR	SHIMANO Acera	SHIMANO TX800	SHIMANO TY21	SHIMANO TY21	SHIMANO TX800	SHIMANO TY300	SHIMANO TY21
SHIFTERS	SHIMANO Acera (9)	SHIMANO Revoshift (8)	SHIMANO Revoshift (18)	SHIMANO Revoshift (18)	SHIMANO Revoshift (8)	SHIMANO Revoshift (7)	SHIMANO Revoshift (6)
FREEWHEEL	SHIMANO HG201-9 11-36 (9)	SHIMANO HG31-8 11-34 (8)	SHIMANO MF-TZ500 14-28 (6)	SHIMANO MF-TZ500 14-28 (6)	SHIMANO HG31-8 11-34 (8)	SHIMANO HG200-7 12-32 (7)	SHIMANO MF-TZ500 14-28 (6)
CHAIN	KMC Z9	KMC 8.1	KMC Z6	KMC Z6	KMC 8.1	KMC Z7	KMC Z6
HUBS	QUANDO Disc 32 holes	QUANDO 32 holes	QUANDO 32 holes	steel 32 holes	QUANDO 32 holes	QUANDO 20 holes	QUANDO 32 holes
BRAKES	TEKTRO disc mechanical (5" rotors)	TEKTRO V	TEKTRO V	TEKTRO V	TEKTRO V	TEKTRO V	TEKTRO V
TIRES	KENDA Small Block Eight kevlar 24" x 1.95"	24" x 1.75"	24" x 1.75"	24" x 1.75"	24" x 1.50"	KENDA Small Block Eight kevlar 20" x 1.75"	20" x 1.75"
PEDALS	resin	resin	resin	resin	resin	resin	resin
SEAT POST	ZOOM alloy (31.6)	alloy (27.2)	alloy (27.2)	alloy (25.4)	alloy (27.2)	alloy (27.2)	alloy (27.2)
SADDLE	AUTHOR Champion	AUTHOR	AUTHOR	AUTHOR	AUTHOR	AUTHOR Pilot	AUTHOR Pilot
SPEED	9	8	18	18	8	7	6
WEIGHT	11.6 kg / 12"	11.9 kg / 12.5"	12.2 kg / 12.5"	13.5 kg / 12.5"	10.9 kg / 12.5"	8.6 kg / 10"	10.6 kg / 10"

MODEL	COSMIC 20	MELODY 20	ENERGY 20	KING KONG 16	RECORD 16	STYLO 16	BELLO 16	ORBIT 16
SIZE	10"	10"	10"	9"	9"	9"	9"	9"
FRAME	alloy 6061 20"	alloy 6061 20" (L)	hi-ten 20"	alloy 6061 16"	alloy 6061 16"	alloy 6061 16"	alloy 6061 16" (L)	hi-ten 16"
FRONT FORK	hi-ten	hi-ten	hi-ten	alloy	alloy	hi-ten	hi-ten	hi-ten
CHAINWHEEL	PROWHEEL 36 teeth 127 mm cranks	PROWHEEL 36 teeth 127 mm cranks	PROWHEEL 36 teeth 127 mm cranks	SAMOX 32 teeth 114 mm cranks	LASCO 32 teeth 100 mm cranks	PROWHEEL 32 teeth 102 mm cranks	PROWHEEL 32 teeth 102 mm cranks	PROWHEEL 32 teeth 102 mm cranks
FRONT DERAILEUR	-	-	-	-	-	-	-	-
REAR DERAILEUR	SHIMANO TY21	SHIMANO TY21	SHIMANO TY21	-	-	-	-	-
SHIFTERS	SHIMANO Revoshift (6)	SHIMANO Revoshift (6)	SHIMANO Revoshift (6)	-	-	-	-	-
FREEWHEEL	SHIMANO MF-TZ500 14-28 (6)	SHIMANO MF-TZ500 14-28 (6)	SHIMANO MF-TZ500 14-28 (6)	coasterhub 18T	coasterhub 16T	coasterhub 16T	coasterhub 16T	coasterhub 16T
CHAIN	KMC Z6	KMC Z6	KMC Z6	KMC Z6	KMC Z6	KMC Z6	KMC Z6	KMC Z6
HUBS	QUANDO 20 holes	steel 32 holes	steel 32 holes	rear coasterhub 28 holes	rear coasterhub 20 holes	rear coasterhub 28 holes	rear coasterhub 28 holes	rear coasterhub 28 holes
BRAKES	TEKTRO V	TEKTRO V	TEKTRO V	TEKTRO V/coasterhub	TEKTRO V/coasterhub	TEKTRO V/coasterhub	TEKTRO V/coasterhub	TEKTRO V/coasterhub
TIRES	20" × 1.75"	20" × 1.50"	20" × 1.75"	16" × 2.25"	KENDA Small Block Eight 16" × 1.50"	16" × 1.75"	16" × 1.50"	16" × 1.75"
PEDALS	resin	resin	resin	resin	resin	resin	resin	resin
SEAT POST	alloy (27.2)	steel (27.2)	steel (25.4)	alloy (27.2)	alloy (27.2)	alloy (27.2)	alloy (27.2)	steel (25.4)
SADDLE	AUTHOR Pilot	AUTHOR Melody	AUTHOR Pilot	AUTHOR Pilot	AUTHOR Record	AUTHOR Stylo	AUTHOR Bello	AUTHOR Junior
SPEED	6	6	6	1	1	1	1	1
WEIGHT	8.9 kg / 10"	10.6 kg / 10"	10.9 kg / 10"	7.8 kg / 9"	6.5 kg / 9"	7.8 kg / 9"	8.3 kg / 9"	9.4 kg / 9"

ACCESSORIES

PARTS & ACCESSORIES





MEN SPORT X7

Power Lycra® fabric with 4-way stretch Carbon Lycra fabric with Coldblack® finishing technology made by Schoeller®. Ergonomic 3D design for optimal riding-position fit. Silicone gripper at leg endings. Endurance pad made by Elastic Interface® (EIT), the leading manufacturer of 100% Italian-made cycling pads. Made by KALAS Sportswear.



MEN SPORT X7 ARP

Full length opening zipper. Three-compartment pocket made of Lycra elastic fabric allows easy access. Reflective elements for increased visibility. Elastic sleeves finished with wide elastic hem that is stitched with reflective flatlock seam. Silicone elastic waistband on the rear panel prevents the top from riding up. The front panel with elastic reflective hem. Quick-drying knitted polyester fabric Spinn. Made by KALAS Sportswear.





TRAIL INMOLD

In-mold polycarbonate shell with EPS liner, thermoformed cage reinforcement. Two-way adjustable retention system Author DialFit. Removable & washable padding system, extra set of padding for replacement. Ventilation – 21 air tunnel vents including internal channeling. Weight 310 g.



FLOW PRO

Anatomically shaped cut, wide elastic cuffs, front panel with wide elastic hem on the bottom, back panel with elastic piping with anti slip silicon yarns. Higher collar for perfect comfort. Zipper with overlap and zip ends. Elastic pockets with 3 compartments on the back (two side open pockets and middle zipper pocket). Front and top panel is made of from PU membrane MISSION HIP. The back panel of the jacket and bottom sleeve panel is made of highly breathable Manati fabric provides an optimal moisture management and guarantees excellent micro-climate conditions. Reflective elements for better visibility.

MEN COMFORT GEL

Elastic mesh for great ventilation, reinforced synthetic palm leather Amara is supple and durable. GEL pads are located on the palm according to Anatomic Volar Map, in order to relieve pressure and protect the sensitive areas, also reduce numbness at the hand. Soft, absorbent Superdry on the thumb for easy brushing away sweat. Micro-Injection Velcro closure blends comfort with an unrestricted wrist movement. Easy slip on with silicon grip. EasyLoops helps to pull off the gloves.



MEN FREE X7

Stretchy fabric. Free relaxed design. Elastic waist with belt loops. Two front zipper pockets. Reflective logo and elements. Made by KALAS Sportswear.



BOXERS MEN X7

Spider Lycra® fabric with 4-way stretch. Ergonomic 3D design for optimal riding-position fit. Silicone gripper at leg endings. Veloce pad made by Elastic Interface® (EIT). Reflective elements. Made by KALAS Sportswear.



MEN ELITE GEL

Elastic mesh for great ventilation, reinforced synthetic palm leather Amara is supple and durable. GEL pads are located on the palm according to Anatomic Volar Map, in order to relieve pressure and protect the sensitive areas, also reduce numbness at the hand. Soft, absorbent Superdry on the thumb for easy brushing away sweat. Micro-Injection Velcro closure blends comfort with an unrestricted wrist movement. Easy slip on with silicon grip. EasyLoops helps to pull off the gloves.




RAIN DINTEX

Material Dintex TPU. Reflective elements. Underlaid zipper, mesh under the sleeves and inside of back part for better air ventilation. Bottom ending and ending of sleeves with elastic piping. Transport pouch is attached.

FF PRO

Light breathable model. Upper side made of elastic Lycra mesh. The leather Serino with gel Foam pads covered by 3D Air Mesh on the palm, the leather Amara on the fingers.





LADY SPORT

Full length opening zipper.

Three-compartment pocket with easy access. Quick-drying knitted polyester fabric Alketis. Reflective elements increased visibility. Made by KALAS Sportswear.

**LADY FREE**

Stretchy fabric. Free relaxed design. Elastic waist with belt loops. Two front zipper pockets. Reflective logo and elements. Made by KALAS Sportswear.

**LADY COMFORT GEL**

Anatomic fit, combination of elastic Lycra, elastic mesh and terry on the upper side. Synthetic leather Amara with Gel Comfort pads and protection covers on the palm. Easy Loop system.

**3/4 LADY SPORT**

Revolution Lycra® fabric with 4-way stretch. Ergonomic 3D design for optimal riding-position fit. Soft elastic fabric at leg endings. Endurance lady pad made by Elastic Interface® (EIT). Reflective elements. Made by KALAS Sportswear.

BOXERS LADY

Spider Lycra® net fabric with 4-way stretch. Ergonomic 3D design for optimal riding-position fit. Soft elastic fabric at leg endings. Endurance lady pad made by Elastic Interface® (EIT). Made by KALAS Sportswear.

LADY SPORT GEL X6

Elastic mesh for great ventilation, synthetic leather Amara for comfort & strength. GEL pad for shock absorbing and high comfort ride. Superdry sponge on the thumb for quick absorption of moisture and easy brushing away sweat. Easy slip on with silicon grip. EasyLoops helps to pull off the gloves.

**LADY SPORT GEL**

Anatomic fit, combination of elastic Lycra and terry on the upper side. Synthetic leather Serino and Gel Foam pads on the palm. Easy Loop system.

**LADY SPORT**

Revolution Lycra® fabric with 4-way stretch. Ergonomic 3D design for optimal riding-position fit. Soft elastic fabric at leg endings. Endurance lady pad made by Elastic Interface® (EIT). Reflective elements. Made by KALAS Sportswear.



MEN SPORT NOWIND

Ergonomic, pre-shaped panel construction for comfort ride. Flat lock seams for less chaffing. Reflective print on side and front, reflective elements on back. Full mesh bib construction for optimum ventilation. Zipper with semi-lock slider on lateral hem. Highly functional stretch material RainMem with PU membrane. Temperature range (-10° C až +5° C). Veloce Men pad made by Elastic Interface® (EIT), the leading manufacturer of 100% Italian-made cycling pads. Made by KALAS Sportswear.



WINDSTER X5

ULTRA III TECH Softshell provides wind and water protection. GEL Padding creates bridges over Ulnar and Median nerves for superior riding comfort. Glove fit maximizes finger dexterity for shifting and braking. Extra long cuff with Velcro adjustment for better protection. Soft and durable synthetic leather overpatches. Soft fleece wiping surface on thumb.



THERMO AS-9

Thermo Fleece fabric delivers warmth and superior comfort. 4-way stretch fabrication allows greater mobility and maintains shape. Moisture Transport System wicks sweat away from the body.

WINTERPROOF

ULTRA III TECH Softshell provides wind and water protection. Open soles framed by elastic fabric with Velcro width adjustment. Reflective piping. Zipper with semi-lock slider on back, with Velcro security strap on the top. Abrasion resistant material at toes.





THERMO AS-9

Thermo Fleece fabric delivers warmth and superior comfort. 4-way stretch fabrication allows greater mobility and maintains shape. Moisture Transport System wicks sweat away from the body.

H2O-PROOF

Waterproof elastic membrane and neoprene provides water protection. Fully taped seams. Open soles made from neoprene for perfect width fit. Reflective piping. Zipper with semi-lock slider on back, with Velcro security strap on the top. Abrasion resistant material at toes.



WINTER NEOPRENE

Shoe cover made from neoprene (thickness 4 mm), protective pads on the bottom side, zip fastener in combination with velcro strap. Universal for all types of shoes and pedals. Reflex stripes.



RAINPROOF

Waterproof stretch PU coated fabric. Soft brushed inner for added warmth and comfort. Taped seams for complete waterproofing. Garage door flap zip cover for added comfort. Reinforced toe panel for durability and grip when walking. Reflective stripes for increased visibility.



ARCTIC

Wintergloves Author, top part and palm side is made from ULTRA 3 TECH membrane – high wind resistance and optimal drying and moist regulation. Palm side with anti-slip protection pads, insulation from Insulating Olympia fabric. Velcro adjustable cuff.



THERMOLITE GEL

Lyra Fleece fabric for ultimate weather comfort. Reinforced synthetic palm leather Amara is supple and durable. GEL pads are located on the palm according to Anatomic Volar Map, in order to relieve pressure and protect the sensitive areas, also reduce numbness at the hand. Soft, absorbent Superdry on the thumb for easy brushing away sweat. TouchScreen surface on index finger, suitable for use with Mobile Phones, MP3 Players, etc. Micro-Injection Velcro closure blends comfort with an unrestricted wrist movement. Easy slip on.

WINDSTER SHELL

Lyra Fleece fabric for ultimate weather comfort. Terry sweat wipes. Silicone finger and palm prints for grip. High strapless cuff to fit under jacket sleeves. Foldable cover made of ULTRA III TECH Softshell provides wind and water protection.



MEN ENDURO

Upper side made of elastic Lycra 3D mesh.
Palm side leather Serino with Gel Foam pads.
Double Protection top parts.



MEN SINGLE T

Light breathable model. Upper side made of Spandex and Neopren. The leather Amara Shark Skin with gel Foam pads on the palm. Seamless finger end.



MEN SINGLE T X5

Light breathable model. Upper side made of Spandex and Neopren. The leather Amara Shark Skin with gel Foam pads on the palm, the leather Amara on the fingers.



WINDSTER LIGHT

ULTRA 3 TECH membrane and Lycra Fleece fabric for ultimate weather comfort. Reinforced synthetic palm leather Amara is supple and durable. GEL pads are located on the palm according to Anatomic Volar Map, in order to relieve pressure and protect the sensitive areas, also reduce numbness at the hand. Soft, absorbent Superdry on the thumb for easy brushing away sweat. TouchScreen surface on index and middle finger, suitable for use with Mobile Phones, MP3 Players, etc. Micro-Injection Velcro closure blends comfort with an unrestricted wrist movement. Easy slip on.

**JUNIOR R40**

Children grip Author with safety cap and clamp with fixation screws. Material rubber. Total width 100 mm, palm 75 mm, palm d. 29 mm. Weight 88 g.

JUNIOR R20

Children grip Author with safety cap. Material rubber. Palm width 75 mm.

**JUNIOR R15**


Children grip with safety cap, palm width 65 mm.

**JUNIOR R50**

Double density children grip, palm width 85 mm.

**CHAMPION X8**

The AUTHOR Champion is a great quality junior saddle. It uses a comfortable shape with a lightweight high density foam fill. Strong and reliable Hi-Ten rails, diameter 7 mm. Lightweight high density foam padding. Durable waterproof synthetic cover. Size: 250 mm × 135 mm. Weight 286 g.

**A-044**

Uni size (3 – 10 y) – velcro zippers adjustment. Durable fabric, 3M reflective stripes.

**JUNIOR X6**

Elastic mesh for great ventilation, synthetic palm leather Amara is supple and durable. Foam pads for shock absorbing and high comfort ride. Micro-Injection Velcro closure blends comfort with an unrestricted wrist movement.





ROOT INMOLD

In-mold polycarbonate shell with EPS liner, thermoformed cage reinforcement. Two-way adjustable retention system Author DialFit. Removable & washable padding system, extra set of padding for replacement. Ventilation – 21 air tunnel vents including internal channeling. Weight 260 g.



INFO VIDEO



TECHNOLOGIE INMOLD

Construction In-mold – internal filling of graphite EPS (expanded polystyrene) with thermoplastic reinforcement is injected into a polycarbonate shell.



AERO INMOLD

Construction In-mold – EPS liner/polycarbonate shell. Retention system Author DialFit. Removable (ie. washable) bug net padding system and set of pads for use without the bug net.
Weight 300 g (with the visor).






FLOW INMOLD

In-mold polycarbonate shell with EPS liner. Comfortable DialFit system. Removable & washable padding system, extra set of padding for replacement. Ventilation – 17 air vents, front with insect net. Weight 263 g.



SKIFF INMOLD

In-mold polycarbonate shell with EPS liner. Comfortable DialFit system. Removable & washable padding system, extra set of padding for replacement. Ventilation – 14 air vents, front with insect net. Weight 271 g.





HARD SHELL
TECHNOLOGY



CREEK HST

Construction ABS hard shell and EPS liner. Fit system Author DialFit. Antibacterial replaceable pads. Weight 375 g (incl. visor).



HARD SHELL
TECHNOLOGY

TECHNOLOGIE HARD SHELL

The tough Hard Shell technology is durable and vents pull in cool fresh air to enhance comfort in almost any conditions.



CREEK FF HST

3 in 1 helmet design converts from a full face helmet to a hard-shell helmet with the removal of the face mask and visor. Comfortable interior padding for protection. Construction ABS hard shell and EPS liner. Fit system Author DialFit. Big top, front and rear vents provide optimal air flow. Detachable visor. Weight 580 g.

HOT SHOT HST

3 in 1 helmet design converts from a full face helmet to a hard-shell helmet with the removal of the face mask and visor. Comfortable interior padding for protection. Construction ABS hard shell and EPS liner. Fit system Author DialFit. Weight 640 g.



LYNX

Hard Shell technology – ABS polymer with EPS Liner. Big top, front and rear vents pull in cool fresh air to enhance comfort in almost any conditions. Comfortable interior padding for protection. Fit system Author DialFit. Weight 430 g.



PULSE LED

Author DialFit fixation system. Glue tape technology. Antibacterial replaceable pads. Front vents with insect net. Integrated flashing light with 6 LED, flashing and steady mode. Weight 298 g with the visor.



FLASH LED INMOLD

Inmold lightweight children helmet. Fit adjustments are fast and easy to use it, big vents with insect net pull in cool fresh air to enhance comfort in almost any conditions. Integrated flashing light for better safety. In-mold technology offers resistance and low weight. Antibacterial replaceable pads. 11 vents assure excellent ventilation (front of them with insect net). Flashing light – 3 flashing modes and steady, replaceable battery CR2032, 6 red LED. Weight 220 g.






MIRAGE INMOLD

In-mold technology offers resistance and low weight. Author DialFit systém. Antibacterial replaceable pads. 12 vents assure excellent ventilation (front of them with insect net). Weight 220 g.



TRIGGER INMOLD

In-mold technology offers resistance and low weight. Author DialFit systém. Antibacterial replaceable pads. 12 vents assure excellent ventilation (front of them with insect net). Weight 220 g.







VISION LX PHOTOCHROMIC

Thanks to the special shape of the sides with non-slip A-slip tips and adjustable A-slip beam seat very well holds on the face. This model is suitable for most sports activities. VarioPlus photochromatic (self-staining) lenses. Color range of the sun filter is 0 – 2 (clear to dark color). The frames are made of a very flexible PC thermoplastic. Photochromatic lenses are made of non-shattering polycarbonate. Includes a zippered hard case and a microfiber case that can be used to clean glasses.



VISION LX

3 pieces of easy to change shatterproof polycarbonate lenses. Sunglare lens with revo surface – filter category 3, transparent yellow – filter c. 0 and clear transparent – filter c. 0. Have a virtually indestructible frame made of thermoplastic PC – this is light and durable nylon material that resists chemical and UV damage. Adjustable nose allow for a custom fit. A-slip nose and ear pads – the more you sweat, the more the hydrophilic rubber nose and ear pads grip to prevent slippage. Microfibre cleaning pouch and zipper box.





INFO VIDEO

TWISTER X7

Backpack AUTHOR Twister with the anatomic back construction and shoulder belts. Perfect back ventilation. Adjustable waist belt with comfort padding. Elastic chest belt. Reflective stripes for better safety. Elastic helmet holder. Loop for flashing light. Separate pocket for H₂O bag, volume 30 l. Weight 850 g.



CYCLONE GSB

Backpack Cyclone, anatomic design of back construction and shoulder belts, light weight. Perfect back ventilation. Main and chest belts, reflective stripes for better safety. Special fixation of helmet, pump and flashing light. Three main and many smaller pockets, mobile phone holder integrated into shoulder belt, separate pocket for H₂O bag, volume 9 l, weight 590 g. Including rain cover in inside pocket.





TURBO X7

Backpack Turbo, anatomic design of back construction and shoulder belts, light weight. Perfect back part ventilation. Main and chest belts, reflective stripes for better safety. Volume 6 l, weight 430 g. Special elastic net for helmet fixation. Separate pocket for H₂O bag. Rain cover included.



MOBICELL

The AUTHOR MobiCell is sleek, expandable, secure, and does not bounce. It can hold a mobile phone, keys, cash, credit cards, identification and many other small personal items. MobiCell won't ride or shift while running or participating in other vigorous activities. Fits waist size 68 cm through 140 cm. Pocket length is 230 mm, width 80 mm and expands to 100 mm. Waterproof fabric and zipper. Soft elastic belt (width 40 mm) with ergonomic shape buckle. Reflective elements. Weight 69 g.



INFO VIDEO



TURBO-6 VEST

Back pack Turbo-6 VEST, anatomic design of back construction and shoulder belts, light weight. Special shoulder strap fixation for perfect and comfort fit on body, can be used for activity as running, Nordic walking.... Perfect back ventilation. Reflective stripes for better safety. Special net for helmet fixation. Three main and many smaller pockets. Separate pocket for H₂O bag, volume 6 l. Weight 430 g.

GALE

Zipped wallet / cell phone pocket with ear phones cable bushing. Twin compression pockets for bottles (diameter 80 mm & height 170 mm). Zipped pockets on each side of the hipbelt. Foam back panel with aircscape mesh increases air flow Two straight wings that wrap around the pack to compress your pack load tightly are great when walk becomes the run. Reflective elements. Volume: 2 main compartments 2.8 l + bottle pockets 2.2 l. Weight 300 g.



Cycle Clinic



BY AUTHOR
BICYCLES



PARTS & ACCESSORIES



BIKE LUBE

An professional multifunction lube which provides better performing and long lasting function of components. Provide lubricant function in all temperature limit – till 240°C, easily flows to all spaces, protects against the rust and humidity.

CHAIN LUBE EXTREME

CHAIN LUBE EXTREME is Cycle Clinic's strongest, longest lasting and most resistant lubricant. Provide maximum drivetrain smoothness, extremely quiet rides, and ultimate rust protection. Use it when you ride hard and long. A heavier wet-style lubricant requires a little more job of drivetrain cleanliness, but delivers the maximum in lubricity and protection.



SUSPENSION SILICONE LUBE

Made with carefully chosen polysiloxane and advanced fluoropolymers to get smooth sliding of suspension forks, rear suspension shocks and telescopic seatposts. Suspension Silicone Lube creates microfilm which reduce stiction and ensure smooth and quit run, keep condition and protect seals, o-rings, and other rubber parts. Use it for periodic maintenance and always after riding in wet or muddy conditions. Apply it evenly and in appropriate quantities. Suspension Silicone Lube will keep suspension units of your bike in race-ready condition.



CHAIN LUBE

An professional chain lube for whole year climates and on or off-road riding. For dry, dirty conditions. Formulated with water repelling and advanced anti-wear additives. Provide maximum drivetrain smoothness, extremely quiet rides, and ultimate rust protection. Use it when you ride hard and long. After application is getting to dry friction fighting film, attracts less grime, offers better rust protection, runs cleaner, and withstands higher extreme pressures, increasing the time between lube applications. Lube can also be used on derailleurs, and the pivots of brakes and shifters.



CHAIN CLEANER

CYCLE CLINIC Chain Cleaner has been formulated to quickly remove heavy chain grime using advanced solvents. Cleaner flows easily to all places – quickly breaks down grease, oil and dirt. Rapidly removes dirt, oil and grime. Safe on all chain types. Cuts through grease to reduce friction. Ideal for Road, MTB and Cyclocross.



DISC CLEANER

CYCLE CLINIC DISC CLEANER formulated using for bicycle brake rotors mainly. Can improve braking performance by rapidly removing brake dust and oil, as well as dirt and grime from all braking parts. Disc Cleaner air-dries rapidly without leaving any residue, and it's perfectly safe on rubber, plastic, anodized metals, carbon fibre and painted surfaces. Improves braking performance. Treats rotors to reduce brake squeal. Prolongs disc pad and rotor life. Rapidly removes oil, grease, brake fluid and grime.



INFO VIDEO



INFO VIDEO



INFO VIDEO



BIKE CLEANER LEMONTECHFOAM

The Bike Cleaner is the amazing new product from Cycle Clinic. This foaming cleaner with Lemon Tech formula is especially designed for the care of your bike. Our special foam trigger spray allows you to cover your bike or dirty area with the thick foam. Foam has the ability to remove all dirt and grime away from your bike. Foaming cleaner with Lemon Tech formula. Special foam trigger spray.

CC CH11

For all chains including 1/8", 3/16" single-speed chains and 6 to 11 speed 3/32" derailleur chains.



CC 3HEX

Hex wrench set made from special steel S2 with hardened surface, sizes 4/5/6.



CC IMBUS SET

Hex wrench set made from special steel S2 with hardened surface, sizes 1.5/2/2.5/3/4/5/6/8/10.



CC 17BIT

Bit set with T-handle. Torx 6/8/10/15/20/25/30. S2 material. Imbus 2/2.5/3/4/5/6/8/10. S2 material. 1/4" T with handle from plastic/TPR.

CC 9BIT

Multifunction tool with rocket handle. Hex 2/2.5/3/4/5/6 mm. Screwdriver PH2/SL5/T25. Made from S2 material. 1/4" CR-V Rocket wrench with socket adaptor, 1/4" Bit Adaptor. Tire level made from nylon fiber plastic.



CC ARS-66

Self adhesive tube patch that stretches and flexes along with the tube. No messy glue, waterproofed packaging to keep it ready in any time. Clean tube, apply patch and let's go. Six patches and AL scratcher in little alloy waterproofed box.





EXPERT 19

Hex key 2/2.5/3/4/5/6/8; screwdriver PH2/SL5, 2 pcs tire lever, 8 / 10 mm spanner, spoke wrench 0.130"/0.136"/0.156" and 2-size, chain rivet tool. Including neoprene pouch. Material: Cr-V steel and alloy body and levers. W. 124 g, dim. 77 × 15 × 40 mm.



AHT-551

High quality chain-rivet extractor UG, HG, IG, flat screwdriver, hex wrench 5, spoke wrenches 27"/0.130"/0.136"; weight 78 g.

EXPERT 9

AUTHOR Expert 9 tool fold into a CNC anodized alloy body. Allen Wrenches: 2/2.5/3/4/5/6 mm. Torx Wrench: T25. Screw Drivers: Phillips PH1/PH2. Tool Material: Cr-V hardened steel. CNC alloy folding case. Folded size: l. 35 mm × w.40 mm × h.15 mm, weight: 75 g.



EXPERT 8

Basic tool include set of Allen wrenches (2/2.5/3/4/5/6), Phillips and flat screwdriver. Weight 92 g, dimensions 28 × 60 × 18 (mm).



TOOLBOX 12

Multifunctional tool include set of Allen wrenches (2/2.5/3/4/5/6/8) in satin nickel finishing, box wrenches 8/9/10, Phillips and flat screwdriver. Weight 230 g, dim.: 32 × 97 × 30 mm.



AHT-07

Handy, lightweight, tire lever set. Made of high performance composites with Nylon fibres that prevent damage of the rim. 3 levers set clip together.

MULTIPED 10

Hex Key 2/2.5/3/4/5/6/8 mm, T25, PH2/SL 5. CR-V material with sanding nickel finishing. W. 144 g, dim. 75 × 16 × 42 mm.



TOOLBOX 6

Hex Key 3/4/5/6 mm, PH2/SL 5 screwdriver. CR-V and Nylon material. W. 107 g, dim. 90 × 20 × 30 mm. Weight 107 g.





POWER JET 2

Profi floor pump Author with big 2.5" gauge and hi-pressure power (max. 180PSI/12.4bar/1.24MPa), universal valve DualHead 2 with fixation for AV/FV/DV. Ergonomic soft rubberised handle, barrel is made from AL6063 T6, aluminium base with non slip pads.



AIR BAR 5

Fits Presta, Schrader and Dunlop valves without changing internal parts. Smooth operating steel barrel. Super stable steel base with extra large foot pads, easy-to-read gauge with diameter 80 mm. Comfortable, composite handle. Barrel d. 32 mm x l. 570 mm, max. pressure 160 PSI (1.1M Pa).



AIR TURBO 2

Floor pump Author with gauge, universal valve DualHead 2 with fixation for AV/FV/DV, AL6061 material. Max pressure 160 PSI (1.1 MPa).



PIPE TELESCOPE AL

Compatible with Presta and Schrader (AV & FV) valve types. CNC AL body and telescope. Secure lever on valve engagement. High volume 60 cc – recommended for 29" bikes. Bottle cage mounting bracket with silicone secure strap. 100 psi (0.69 MPa) max pressure. Size l. 180 mm x d. 27 mm. Weight: 135 g (incl. bracket).



CROSS 2

Minipump Author with hose, frame holder included, changeable valve head for AV/FV/DV and with head fix lever; Ergo T-handle, foldable floor base, AL6061 material. Max. pressure 120 PSI (0.83 MPa). Dimension: d. 30 mm x l. 340 mm. Weight: 209 g (incl. bracket).

CROSS LITE

Minipump Author with hose, frame holder included, changeable valve head for AV/FV/DV and with head fix lever; Ergo T-handle, foldable floor base, AL6061 material. Max. pressure 120 PSI (0.83 MPa). d. 23 mm x l. 300 mm. Weight: 150 g (incl. bracket).



BOOSTER

Changeable head allows usage with all type of valves (AV, FV, DV). Fixation lever assures strong fixation of the head on the vent. Soft ergo handle, telescopic barrel. Material AL6061. Max. pressure 120 PSI (0.83 MPa). Dimension: d. 29 mm x l. 205 mm. Weight: 116 g (incl. bracket).



VISION 300 USB

The Author Vision 300 Im is a USB rechargeable headlight with a massive 300 lumen output. This light features 6 modes take you from the bike lane to the trail. The Author Vision 300 Im is equipped with the newest lens techniques. Cree LED 300 High Lumen. The light comes with 4 different light modes for different light conditions or for different battery life. These include: Over drive (300 lumens – 1.2 hrs battery life) / Commuter (150 lumens – 2.5 hrs battery life) / Stamina (75 lumens – 5 hrs battery life) / Signal flash (300 lumens – 2.2 hrs battery life) / Warning flash (150 lumens – 2.5 hrs battery life) / Flash (50 lumens – 4.5 hrs battery life). Smart memory switcher – 2 second push to switch OFF in any light mode (switch ON in the same mode). 2 level battery capacity indicator (green > 40 %, red < 40 %) The silicone mount fits any sized tube with a diameter of 22–35 mm even the unround profiles. Weight 72 g.

NERO 300 USB

Cree LED 300 High Lumen. The light comes with 4 different light modes for different light conditions or for different battery life. These include: Over drive (300 lumens – 2 hrs battery life) / Commuter (150 lumens – 3 hrs battery life) / Stamina (50 lumens – 6 hrs battery life) / Signal flash (200 lumens – 5.5 hrs battery life). Battery capacity indicator (red < 40%). Battery pack Li-ion / 3.7 V / 800 mAh. Charging time 3 hrs (5 V / 1.5 A charger). Recommended discharging / charging period – minimum 1x/6 months. Charging cable included (USB A/Micro-B). The silicone mount fits any sized tube with a diameter of 22–35 mm even the unround profiles. Size 90 × 40 × 30 mm, weight 86 g.



QUANTUM 350 USB

The Author Quantum 350 Im is a premium light in CNC alloy case with 350 lumens of light output for perfect visibility. There is a battery indicator integrated in the light switcher to make sure that you don't lose power while on the go. LED CREE XP-G2 (max output 350 lm). The light comes with 4 different light modes for different light conditions or for different battery life. These include: Ride (350 lumens – 1:30 h battery life) / Commuter (200 lumens – 2:40 h battery life) / Stamina (100 lumens – 4:30 h battery life) / Pulse (200 lumens – 5:00 h battery life). Low battery indicator integrated in switcher. Steady red – aprox. 10 minutes before automatic switch off. Charging indicator built in lens. Universal Tool free bracket with silicon strap for diameter 15–35 mm even the unround profiles. Weight 63 g (incl. bracket).

SOLARIS 300 USB

The Author Solaris 300 lm is a premium light with an elliptical beam and 300 lumens of light output for fantastic visibility. There is light mode indicator and also a battery indicator on the top of the light to make sure that you don't lose power while on the go. LED CREE XPG LED, 300 lm. The light comes with 4 different light modes for different light conditions or for different battery life. These include: Ride (300 lumens – 2.5 hrs battery life)/Commuter (150 lumens – 3.5 hrs battery life)/Stamina (75 lumens – 7 hrs battery life)/Pulse (300 lumens – 7 hrs battery life). Light Mode indicator, low battery indicator. Helmet mount bracket with universal velcro strap fixation. Universal Tool free bracket with silicon strap for diameter 15–35 mm even the unround profiles. Weight 52 g.



INFO VIDEO



ZOOM 150

LED 150 High Lumen. The light comes with 2 different light modes. Over drive (150 lumens – 9 hrs battery life)/Flash (35 hrs battery life). Switcher with 2 second push to switch OFF in any light mode (short push to change the mode). Battery capacity indicator (red < aprox. 30% of battery) Battery 3x AAA zinc carbon battery (included in packing). The silicone mount fits any sized tube with a diameter of 22–35 mm even the unround profiles.



INFO VIDEO

X-RAY 150

LED 150 High Lumen. The light comes with 2 different light modes. Over drive (150 lumens – 6 hrs battery life)/Commuter (80 lumens – 10 hrs battery life)/Flash (30 hrs battery life). Battery 3x AAA zinc carbon battery (included in packing). The universal bracket mount fits any sized tube with a diameter of 22–35 mm.



PILOT USB COBLED 50

The AUTHOR PILOT COB USB features superior 360 degrees visibility with hi-end COB LED technology, providing a new level of safety. Built in nylon plastic case. COB LED technology 40–50 lm. **STEADY MODES:** 40 lm – 2:00 h, 20 lm – 4:00 h, 40 lm dimming – 4:00 h. **FLASHING MODES:** 50 lm slow flashing – 4:00 h, 50 lm quick flashing – 3:00 h, 50 lm day flashing – 6:00 h. Adjustable tool free bracket with silicon strap for diameter 15–35 mm even the unround profiles. Clothing clip is attached in packing. Battery capacity indicator – built in switcher (Red light = capacity is 1-20 %). Battery capacity safe mode – light switch to slow flashing mode automatically once the battery capacity is lower than 20 %.



INFO VIDEO

STAKE USB 20

The Author Stake USB features superior visibility with hi-end COB LED technology, providing a new level of safety. Built in clothing clip in strong polycarbonate case. COB LED technology 20 lm. Rechargeable Li-ion battery (500 charging cycles). USB 2.0 A/Micro B charger cable included. Flashing 5hr, steady boost mode 3 hr, low beam 5hr. Universal tool free bracket with silicone strap for diameter 15–35 mm even the unround profiles. Integrated clothing clip on PC case. Battery capacity indicator. (Red light = capacity is 1-49%).



INFO VIDEO

STAKE MINI USB

Rechargeable Li-ion battery (500 charging cycles). Steady mode 12 lm – 4h. Flashing modes 12 lm – 11 h (slow flashing, quick flashing and strobe). Universal tool free fixation for diameter 15–35 mm even the unround profiles (2 sizes O-rings includes the packing). Charging cable included (USB A / Micro-B).



INFO VIDEO



SHOT SILICONE W&R

Be safe and be seen with this bright LED lights Author Shot Silicone. It is a high-powered LED lights that mounts quickly and easily around most parts of the frame or rider accessories (helmet, bag pack). Giving you extra visibility and safety. Low power consumption LEDs mean you will benefit from an extra long runtime of up to 40 hours. White LED 13 lm or red LED 7 lm light is visible up to 600 m. The light comes with 2 different light modes, flashing (40 h) and steady (13 h). Universal silicone strap fixation for diameter 15–35 mm even the unround profiles. Powered by 2 coin cell CR2032 batteries (included). Weight 22 g.



SPARK AL W&R

Light with 5 lm LED is visible up to 500 m and wide 240 degrees angle. The lights come with 3 different light modes: Constant (20h), strobe (50h) and pulse (150 h). Universal silicone strap fixation for diameter 15–35 mm even the unround profiles. Powered by 2 coin cell CR2032 batteries (included).





CADDY 5

2 side LED – excellent visibility in 270 deg, 3 strong 10 lm LED visible up to 600 m. 2 flashing modes and one steady mode. Integrated reflector panel. Simply mount to the rear of the rack – 2x M5 screws fixation (screw dimension 50 or 80 mm). Battery life indicator besides the switcher. Waterproof construction (protection against the splashing water, dust and dirt). Includes 2 pcs of AA battery in packing.


X-HEAD 600


The AUTHOR X-Head 600 lm headlamp with balanced weight distribution on the head. 600 lumens of power, which, along with its multi-beam design, makes it ideal for dynamic outdoor activities like cycling, running, hiking and backpacking. X-Head 600 lm comes with the Li-ion rechargeable battery 2000 mAh. Lightweight, compact and bright – 600 lumens at 108 grams. Two beam patterns (flood and long distance) and several white brightness levels meet the need for high-performance lighting in dynamic outdoor activities. 5 level battery capacity indicator. Rechargeable battery via micro USB port, charging time 3 h. (Recommended discharging/charging period – minimum 1x/6 months). Dial button for quick and easy selection of brightness. Detachable, washable headband. CE Certification. Watertightness: IP65 (weather-resistant) Beam pattern: Main LED CREE XM-L2 U2 LED for wide longer distance lightning (60 m and 115 m) and for strobe mode. SMD LED 100 lm for short distance flood lightning.



X-HEAD 150

The AUTHOR X-Head headlamp offers 150-lumen brightness and a flood beam for proximity lighting. Simple and compact, it is useful for outdoor activities such as cycling, camping, hiking or when traveling. X-Head 150 comes with 3 alkaline AAA batteries. Compact and lightweight – only 81 g. Three white lighting levels of main LED CREE XP 150 lm (150 lm, 50 lm and strobe). Two white lighting levels of side SMD LED 10 lm steady and flashing. Separate button for main LED or for side LED – quick and easy lighting level selection. Detachable, washable headband. 3 pcs of AAA/LR03 alkaline batteries included. CE Certification. Watertightness: IP65 (weather-resistant) Weight: 81 g. Beam pattern: Main LED CREE XP 150 for long distance lightning. Side SMD LED 10 lm for short distance flood lightning.







● A-H735 QRA X7

AUTHOR A-H735 is full featured handlebar bag with a QRA™ bracket and a shoulder strap that makes it easy for movement. The QRA system guarantee simply slide and click bag to bracket within few seconds. The perfect addition for the city commuter and for long distance cyclist alike. Raincover is included. Capacity 5.4 l. Weight 600 g (incl. QRA bracket). Max loading capacity 5 kg.



● A-H721 QRX7

AUTHOR A-H721 full featured handlebar bag with a QRX™ bracket and a shoulder strap that makes it easy to take it with you. For extended touring, day trips and commuting. With organizer compartment, map compartment and water bottle pocket. Rain cover included. Reflective elements with flashing light loop on front pocket. Nylon 600D/420D with PU backing – water resistant. Handlebar fixation QRX™ bracket for diameter 25.4 mm and 31.8 mm. Weight 910 g. Dimension l. 26 x w.15 x h.16 cm.



● AO-QRB

Front handlebar basket, for both handlebar diameter 25.4 – 31.8 mm; easy mount with bracket QRB, adjustable angle of basket, INCLUDING bracket QRB.



● A-H950 WATERPROOF

Stem bag (head set cup fixation), special universal bracket allows fast and easy fixation/release with adjustable angle. Made for touch screen mobile phones including the special padding. Inner size 155 x 90 mm for phone up to 7.0".



● SHELL X9

Cell phone bag AUTHOR Shell X9 with waterproof construction and special waterproof zippers. Inner phone fixation by soft elastic straps and one separate inner pocket for ID or credit card. Universal bracket allows fast and easy fixation/release with adjustable angle. Inner size 168 x 88 x 15 mm for phone up to 7.0" Weight 47 g.



● A-H900

Stem bag (head set cup fixation), special universal bracket allows fast and easy fixation/release with adjustable angle. Made for touch screen mobile phones including the special padding. Inner size 155 x 90 mm for phone up to 7.0".



● A-R282 MPP

The AUTHOR A-R282 MPP ensures your camera is at hand in any situation. Easy removable water-resistant mobile phone pocket. 420 D Nylon with water-resistant treatment and backing. One-handed zipper access while riding. Fully padded with closed-cell foam. Interior lined with light grey fabric for greater visibility. Rubber padding for excellent stability and top frame tube protection. Length: 200 mm, height 140 mm, width 40 mm (one pocket). Mobile phone pocket inner size length 160 mm, width 90 mm.



● A-R255 TANK BAG MPP

The AUTHOR Tank Bag MPP ensures your camera is at hand in any situation. Easy removable water-resistant mobile phone pocket. 420 D Nylon with water-resistant treatment and backing. One-handed zipper access while riding. Fully padded with closed-cell foam. Interior lined with light grey fabric for greater visibility. Top tube strap has silicone gripper lines with double back wrap for bomber stability. Length: 200 mm, height 90 mm, width 65 mm. Mobile phone pocket inner size length 160 mm, width 90 mm.



● A-R260 PROLONG

The Author saddle bag A-R260 ProLong is the universal bag with the one main compartment and one flat pocket. Designed for long satisfied use. Universal and strong Velcro fixation. The separate zipper pocket for cell phone, wallet, ID cards, etc. The zipper pullers garages.

Reflective elements. Weight: 210 g. Volume: 2.8 l.



● A-R270

The Author saddle bag A-R270 16" is the universal bag with the one main compartment and one flat pocket. Designed for long satisfied use. Universal and strong Velcro fixation. The separate zipper pocket for cell phone, wallet, ID cards, etc. The zipper pullers garages. Reflective elements. Weight: 210 g. Volume: 2.7 l.



● A-R213 X9

The Author saddle bag A-R213 is the universal bag with the one main compartment and one net pocket. Designed for long satisfied use. Universal and strong Velcro fixation. The separate net pocket with zipper for cell phone, wallet, ID cards, etc. The zipper pullers garages. Reflective elements. Weight: 137 g. Volume: 1.1 l.



● A-R244

The Author saddle bag A-R244 is the universal bag with the one main compartment and one flat pocket. Designed for long satisfied use. Universal and strong Velcro fixation. The separate zipper pocket for cell phone, wallet, ID cards, etc. The zipper pullers garages. Reflective elements. Weight: 130 g. Volume: 1.5 l.



● A-R211 TWIN

The Author saddle bag A-R211 TWIN is the universal bag with the one main compartment on each side. Designed for long satisfied use. Universal and strong Velcro fixation. Velcro adjustment space between the bags according the frame tube diameter. The zipper puller garage. Reflective elements. Capacity 2x 1.0 l. Weight: 198 g.



● A-N LITEPACK 9

Large capacity bag A-N441 containing one main divided compartment with two expandable pannier side panels. Compartments: expandable main compartment and 2 side's compartments, zipper pocket for drinking bottle, inside mash pocket. Fabric: Nylon 420 D with PU coating, abrasion resistant and waterproofed. Added features: shoulder strap, reflective strip with flashing light loop. Author carriers allowed: AUTHOR ACR-149, ACR-50, ACR-25, ACR-20, ACR-16. Size (L x W x H): 33 x 15 x 18 cm, capacity 15–20 l. Weight: 595 g.



● A-N LITEPACK 6

AUTHOR LitePack 6 is designed as super lite bag, unique velcro fixation to special seat post carrier with quick release clamp for easy seat post fixation. Compartments: 1 expandable main, 1 top zipper pocket, 1 inside mash zipper pocket. Fabric: Nylon 420 D with PU coating, abrasion resistant and waterproofed. Added features: shoulder strap, reflective strip with flashing light loop. Rain cover. Size (L x W x H): 28 x 14 x 20 cm, capacity 7–9 l. Weight: bag 440 g, carrier 420 g. Max. load capacity 5 kg (is limited by seat post strength).



INFO VIDEO



●● A-N441 X9

Large capacity bag A-N441 containing one main divided compartment with two expandable pannier side panels. On the top is placed shoulder strap for easy movement. Universal fixation by Velcro for easy/quick attachment. Expandable main and side compartments provides easy volume adjustment exactly as you need. Construction combines panels with EVA foam and flexible fabric for rigidity and protection. The perfect addition for the city commuter and for long distance cyclist alike. Weight: 595 g.



● A-N216 X7

AUTHOR A-N216 is designed as high capacity top pannier bag, unique top zipper placement allows easy access to the entire contents. On the top is placed shoulder strap for easy movement. Universal fixation by Velcro for easy/quick attachment. Expandable main pocket provides easy volume adjustment. Zipper back pocket is designed for drinking bottle storage. Also features two side separate zipper pockets for extra capacity. The perfect addition for the city commuter and for long distance cyclist alike. Construction combines panels with EVA foam and flexible fabric for rigidity and perfect protection. Capacity 7–9 l. Weight: 480 g.



● A-S3152 SUMO

Roll down closure allows bag to expand or compress in volume 6-12 l. Side's plastic sheets provide rigidity and structure for load carrying. Twin loop seatpost wrap straps. Loops on top for attaching a bungee or spocket. Carbon seatpost friendly. Minimum of 200 mm clearance from saddle rails to top of tire. Weight: 335 g. Volume: 6 – 12 l.



● A-S112 QF9 X9

Quick Fix 9 – the special bracket for quick and easy fixation. Adjustable volume of the main pocket. Reflective lines for better safety. Strong loop for flashing light clip. Weight: 130 g. Capacity: 1.5 – 1.9 l.



● A-S315 TPN

Easy Velcro fixation. Reflective flashing light loop. Reflective side's webbing. Separate compartments for folding tool, chain rivet extractor and tire levers. Weight: 116 g.



● A-S381 QF9 X7

Quick Fix 9 – the special bracket for quick and easy fixation. The zipper pullers garage. Reflective lines for better safety – 180 degrees visibility. Strong loop for flashing light clip. Weight: 85 g. Capacity: 0.9 l.



● A-S188 TPN X7

Easy Velcro fixation. Flashing light loop. Separate zipper pocket. Reflective zipper's webbing. Weight: 140 g. Volume 1.5 – 2.2 l. Material: Polyester 420D PU coated/Tarpaulin.



● A-S351 QF9

AUTHOR A-S351 saddle bag with the Quick Fix 9 bracket for quick and easy fixation. The special bracket for quick and easy fixation. Reflective line for higher visibility. Special loop for safety light clothing clip. One main pocket (0.6 l).



● A-S381 TPN X7

The Author saddle bag A-S381 is the easy bag with the one main compartment. Designed for long satisfied use, main parts from waterproofed fabric Tarpaulin. Easy Velcro fixation. The zipper pullers garage. Reflective lines for better safety – 180 degrees visibility. Strong loop for flashing light clip. Weight: 85 g. Capacity: 0.9 l.



● A-S310 TPN

The Author saddle bag A-S310 is the easy bag with the one main compartment. Designed for long satisfied use, main parts from waterproofed fabric Tarpaulin. Easy Velcro fixation. The zipper pullers garage. Reflective lines for better safety – 180 degrees visibility. Weight: 67 g.



● A-S351 X7

The Author saddle bag A-S351 is the easy bag with the one main compartment. Designed for long satisfied use, main parts from waterproofed fabric Tarpaulin. Easy Velcro fixation. The zipper pullers garage. Reflective flashing light loop. Weight: 71 g.



● A-N TOURER 40

Simply strong fixation on carrier. Tail light hanger, reflective strips and carrying handle. Fabric: Nylon 420 D with PU coating, abrasion resistant and waterproofed. Weight: 1330 g. Size: 56 cm x 34 cm x 30 cm. Volume: 40 l.



● A-N472 X9

AUTHOR A-N472 is designed as high capacity top pannier bag. On the top is placed shoulder strap for easy movement. Universal fixation by Velcro for easy/quick attachment. Expandable main compartment provides easy volume adjustment exactly as you need. Construction combines panels with EVA foam and flexible fabric for rigidity and protection. The perfect addition for the city commuter and for long distance cyclist alike. Weight: 550 g.



● A-N471

Simply strong fixation on carrier. Attached rain cover protects your gear from rain and mud. Tail light hanger, reflective strips and carrying handle. Fabric: Nylon 420 D with PU coating, abrasion resistant and waterproofed. Wheel side is made from Polyester 840 D Thermoplastic Polyurethane coated (this fabric is 100 % waterproofed). Weight: 770 g. Volume: 20 l.



● A-N495

Simply strong fixation on carrier. Wide shoulder strap is attached. Tail light hanger, reflective strips and carrying handle. Fabric: Nylon 420 D with PU coating, abrasion resistant and waterproofed. Wheel side is made from Polyester 840 D Thermoplastic Polyurethane coated (this fabric is 100 % waterproofed). Rain cover A-021 (l#UA 08 110 012) is suitable, protects your gear from rain and mud. Weight: 650 g. Volume: 12 – 19 l.



ACR-190-ALU CARRYMORE

Quick release fixation system CARRY MORE, material ALG061, universal adjustable fixation for seat post 25–34 mm, quick assembly/disassembly, max. load 10 kg (is limited by solidity of seat post). The weight 560 g.



ACR-25-ALU

Carrier Author Expedition, material ALG061, universal adjustable fixation, adjustable stays, max. load 25 kg. Weight 700 g.

ACR-65-ALU CARRYMORE

The CARRY MORE fixation system is compatible with any CARRY MORE bags even the rear basket. With adjustable legs to fit 26", 27.5", 29" and 700c bikes. Adjustable top stays for different frame sizes. CARRY MORE fixation system. Max. Weight Capacity: 25 kg/55 lbs. Material ALG061-T6, tube d. 10 mm. Loaded place dimension 110 × 390 mm. Tail Light Mount for attaching rear lights. Includes all mounting hardware. Precision welding at all critical support points. Weight of carrier 780 g.




ACR-160-ALU

Carrier Author Expedition, material ALG061, universal adjustable fixation for seat post 25–34 mm with QR lever for quick assembly/disassembly, suitable for bags A-N216/A-N421, max. load 10 kg (is limited by solidity of seat post), weight 695 g.

ACR-20N-ALU

Carrier Author Expedition for extreme load and conditions, made from ALG061 tubes d.10 mm – light weight and rigid construction with triple side stays, easy fixation on bike due to adjustable top stays, tested on load 25 kg, weight – only 680 g.



ACR-16-ALU

With adjustable legs to fit 26", 27.5", 29" and 700c bikes. Adjustable top stays for different frame sizes. Max. Weight Capacity: 25 kg/55 lbs. Material ALG061-T6, tube d. 10 mm. Loaded place dimension 105 × 360 mm. Tail Light Mount for attaching rear lights. Includes all mounting hardware. Precision welding at all critical support points. Weight of carrier 566 g.

ABC FLY 33

AUTHOR FLY 33 One-Piece Gloss Bottle Cage is made of durable glass fibre-reinforced polyamide and is stylish with a gloss finish. It is lightweight and has a contoured inner edge which makes it easy for bottle entry/removal on the go. This cage will fit standard mounts and bottles. Durable glass fibre-reinforced polyamide construction with gloss finish surface. Contoured inner edge a special low shape for bottle side entry/removal. Secure, rattle-free fit. Perfect for all types of riders, fits standard bottle cage mounts and bottle sizes. Weight: 32 g.

**ABC-L6R05**

Bottle cage AUTHOR ABC-L&R05 designed for easy bottle removing from side direction it is lightweight and has a contoured inner edge which makes it easy for bottle entry/removal on the go. This cage will fit standard mounts and bottles. Recommended for low geometry bicycle frames without enough space to take off bottle in straight direction. Special design for both hand operation – adaptor fixation make it easily right or left hand bottle cage. Optimized shape for 100 % bottle security. Perfect for all types of riders, fits standard bottle cage mounts and bottle sizes. Strong & light Nylon composite construction. Weight 42 g.

SHANTI

Cycle bottle Author made by Tacc. The Shanti stands out because of its membrane lid. This can be opened or closed quickly with one movement. In the 'open' position the bottle is always ready for use. The membrane system prevents it from leaking. Only when you squeeze the bottle the water will come out, exactly in the amount you want. The Shanti can also be 'locked'. Volume 600 or 800 ml.

**SCREWON**

The new AUTHOR ScrewOn bottle is what you need to keep yourself hydrated during your training or competition. Cool and with a fancy and clean design, large opening – quite useful to refill, clean, and to make your energetic mixtures. Besides this new design, the bottle features a largemouth valve to help you control the liquid flow, adjusting it to your needs for hydration. You will also find a system to lockout the tip – quite useful during transport to prevent accidental leaks. The bottle is produced with a soft material optimized for a perfect squeeze – no extra efforts while you are cycling. Large opening – quite useful to refill. Largemouth valve to help you control the liquid flow. The tip lockout system to prevent accidental leaks. Soft material optimized for a perfect squeeze. Volume 600 or 800 ml.

**ACP-X26 CARBON**

Created using AUTHOR X26 Carbon – tech construction is superbly strong and incredibly light. Elegantly designed, it holds true to its function of bottle security thanks to its optimized shape. The matte carbon finish to the cage has it looking as well as it performs. It is lightweight and has a contoured inner edge which makes it easy for bottle entry/removal on the go. This cage will fit standard mounts and bottles. Strong & light Carbon – tech construction. Contoured inner edge a special low shape for bottle side entry/removal. Matt carbon finish. Secure, rattle-free fit. Optimized shape for 100% bottle security. Perfect for all types of riders, fits standard bottle cage mounts and bottle sizes. Weight: 26 g.



AKS-500 R 24"-29"

Universal stands for the fixation on different parts of the bike. Adjustable for sizes 24" – 29". Material AL6061-T6/steel.



AKS-550A C 24"-29"

Kick Stand Author for direct frame fixation. Adjustable for size 24" – 29", Material AL6061-T6. Weight 310 g.



AKS-570 R40 24"-29"

Designed for frame integrated dropout AUTHOR IS-R40. Adjustable for size 24" – 29", tool free adjustment. Material AL6061-T6, High performance using a forged alloy head. Weight 310 g.



AKS-670 R40 E-BIKE 24"-29"

Designed mainly for Ebike use and frame integrated dropout AUTHOR IS-R40. Adjustable for size 24" – 29", tool free adjustment. Material AL6061-T6, High performance using a forged alloy head. Weight 311 g.



AKS-530 RS 24"-29"

Aluminium kick stand designed for direct rear fork down tube fixation (tube profile 22 – 25 mm), recommended for bicycles with rear disk brake. Adjustable for size 24" – 29". Material AL6061-T6. Weight 320 g.



X-BOW

Rear mudguard AUTHOR, modern shorter mudguards with universal bracket, fabric plastic. Weight 163 g.



X-BOW QR

Mudguard Author X-BOW QR with aerodynamic flow design is perfect for XC ride. Fits suspension or rigid forks with inner diameter of steering tube 16 – 35 mm incl. the taper shape. Easy fixation with new quick release system. Universal for most of the bikes. Compatible with disc brakes or v-brakes MTB bikes. Weight 171 g. Width 85 mm.



X-FLAP

X-Flap is the new rear mudguard. The mounting system features a big plastic clamp, that can be easily screwed after fitting the mudguard on the seat post. Inside you will also find an extra rubber to increase its grip. Besides this quick and hands-on mounting system, you can also adjust the mudguard in 1-Point height. Its slim design will fit the new trendy MTB bikes, and is suitable for the 27.5" and 29ers.



ACL-80

The light steel flex AUTHOR ACL-80 lock with 22 mm overlapping steel shells that protect the steel cable inside. The polyester fabric protects your frame's paint. 22 mm overlapping steel shells made from hardened steel protect the steel cable inside. Soft PVC coating with polyester sleeve protects locked objects – total diameter 25 mm. 15 mm high security locking shackle. Automatic lock function – no need the keys to lock it. 4 keys included. Weight 850 g. Length 1000 mm.



FLEXGUARD-6

AUTHOR FlexGuard-6 is the new type of the folding lock. Light-weight flexibility in a compact design. 3.5 mm steel bars with soft coating to prevent damage to the bicycle's paintwork. 6 links construction offers compact folding. The bars, the links, the case as well as supporting elements of the locking system are made of special hardened steel. Special cylinder for extremely high protection against manipulation, e.g. picking. Four keys are supplied with the lock. Ideal combination of resistibility, flexibility, weight and transport size 188 x 55 x 25 mm (head diameter 34 mm). Circumference: 840 mm. Weight: 742 g. Bracket for frame fixation included (standard bottle cage bosses dimension) or clamp fixation for round profile d. 25-65 mm.

ACL-79 MEMORY SILICONE

The AUTHOR ACL-77 Silicone is bendy (keed the shape), hard-cored and smooth to touch. Still over-molded using industrial grade UV-stabilized silicone to protect your bike, your finger. Over-molded square profile 12 mm, used the UV-stabilized silicone. Rotating dial lock barrel, with 9999 unique combinations. Used the strand core wire rope d. 4.5 mm. 31 mm steel locking shackle. Weight 227 g. Length 600 mm.



ACL-77 SILICONE

The AUTHOR ACL-77 Silicone is bendy, hard-cored and smooth to touch. Still over-molded using industrial grade UV-stabilized silicone to protect your bike, your finger. Over-molded square profile 12 mm, used the UV-stabilized silicone. Rotating dial lock barrel, with 9999 unique combinations. Used the strand core wire rope d. 4.5 mm. 31 mm steel locking shackle. Weight 244 g. Length 600 mm.



ASL-41

The AUTHOR ASL-41 coiled cable lock is perfect for transporting on the bike. It is flexible and small enough to fit in a bag or to the frame. This would be used in areas of low risk or where you will only be letting your eyes off your bike for a short period of time. Durable vinyl coated cable diameter 8 mm will not mark or scratch your bike. 25 mm steel locking shackle. Blade style lock barrel with automatically close function. Used the strand core wire rope d. 3.5 mm. Cable coiled to a diameter of 100 mm which provides a longer cable length in a convenient and compact size. Weight 240 g. Length 1500 mm.

ASL-25

The AUTHOR ASL-25 coiled cable lock is perfect for transporting on the bike. It is flexible and small enough to fit in a bag or to the frame. This would be used in areas of low risk or where you will only be letting your eyes off your bike for a short period of time. Durable vinyl coated cable diameter 10 mm will not mark or scratch your bike. 25 mm steel locking shackle. Pick and drill resistant patented Ultra B-cylinder keyway with automatically close function. Used the strand core wire rope d. 4.5 mm. Cable coiled to a diameter of 120 mm which provides a longer cable length in a convenient and compact size. Weight 301 g. Length 1500 mm.





ACHL-65

Chain lock with textile cover, special hardened steel chain round (d. 8 mm) profile of link, length 900 mm, lock body protected by tough material, self-locking cylinder with drill protection. Weight 1740 g.

ACHL-55

Chain lock with textile cover, special hardened steel chain dia 8 mm × length 900 mm, lock body protected by tough material, self-locking cylinder with drill protection. Weight 1360 g.



AUL CLIFF SM

U-lock, inside dimension of shackle 50 × 230 mm, special hardened steel d. 13 mm. Weight 960 g.

AUL CLIF

U-lock, inside dimension of shackle 105 × 255 mm, special hardened steel d. 12 mm. Weight 970 g.



SONO GELZONE

Touristic saddle with gel and hole in the middle. Construction which considerably limits pressure on sensitive perinatal zone. Maximum comfort. Dimensions 170 mm × 275 mm. Weight 448 g.

SONO ASL GELZONE

Lady's touristic saddle with gel and hole in the middle. Construction which considerably limits pressure on sensitive perinatal zone. Maximum comfort. Dimensions 170 mm × 255 mm. Weight 392 g.



SPHERE

The AUTHOR Sphere is a great quality saddle, value and comfortable saddle for all kind of bikes and riders alike. It uses a comfortable and wide shape with a lightweight high density foam fill and a comfortable pressure relief. Strong and reliable Hi Ten rails, diameter 7 mm. Lightweight high density foam padding. Durable waterproof synthetic cover. Size: 280 mm × 160 mm. Weight 318 g.



ERGO R50 GRIPLOCK

The Author Ergo R50 ergonomic lock on grips. Designed to offer great overall comfort & support for all day riding. Ergonomic shape. Designed for Revo shift or Grip shift. Reinforced plastic body with AL locking ring. D2 double density rubber material. LEFT GRIP – Total width 130 mm (palm width 130 mm) RIGHT GRIP – Total width 90 mm (palm width 90 mm). Weight 130 g.

R45 GRIPLOCK

Grips AUTHOR AGR R45 with AL locking rings, designed to offer great overall comfort & support. Reinforced plastic body AL locking ring. D2 double density rubber material. Total width 137 mm (palm width 128 mm). Comfortable palm fit diameter 32 mm. Weight 121 g.



ERGO R35 GRIPLOCK

The Author Ergo R35 ergonomic lock on grips with AL locking rings, designed to offer great overall comfort & support for all day riding. Ergonomic shape. Reinforced plastic body AL locking ring. D2 double density rubber material. Total width 130 mm (palm width 115 mm), weight 140 g.



R40 GRIPLOCK

Grips Author with AL locking rings, designed to offer great overall comfort & support. Reinforced plastic body AL locking ring. D2 double density rubber material. Total width 133 mm (palm width 117 mm), weight 92 g.



SILICONE ELITE

Enjoy your bike ride with AUTHOR Silicone Elite grips. The new silicone compound increases tactile feedback and requires less effort to maintain hand position. New UV silicone compound. Comfortable touch with push-in plugs a maximum grip. Comes with push-in plugs. Width 130 mm/diameter 33 mm. Weight 96 g.

A-SPORT 35

This trekking pedal combines adjustable binding mechanism on one side and a stable grippy platform pedal body on the other. Lightweight and high performance using a forged alloy body. The CNC machined axle made of hardened Cr-Mo. Double sealed ball bearings with sliding bushing system. Easy entry system with tension adjustment provides plenty of support and holds the cleat firmly in place. Compatible with SHIMANO SPD system. Weight only 384 g.



F15-ALU LSL

The pedal AUTHOR F15 is still thin, it's still stylish, and it can take all the beating that you can give it and keep it rolling on. Replaceable Cr-Mo pins. Polished aluminium body. CNC machined Cr-Mo axle comes with 6 mm hex wrench hole. LSL & double sealed ball bearings. Platform shape 114 × 104 × 18 mm. Weight only 440 g.

F13-NYLON

These great quality light pedals made from NYLON plastic. A 19 mm low profile, high quality ball bearings and a grippy platform is all you will need. The axle is hardened Cr-Mo and comes with a 15 mm wrench slot. One-piece NYLON plastic body, hardened Cr-Mo axle, high quality ball bearings. Platform shape 111 × 105 × 19 mm. Weight only 346 g.






**SILK ROAD KEVLAR
700X42C**



**SILK ROAD
700X35C**



**SILK ROAD
700X38C**



**SPEED MASTER
700X42C**




**ROLLING STONE
700X42C**



**904 APS
700X38C**



**VENOM
29X2.25**



**SPEED MASTER
29X2.00**



**ROCKET
29X2.10**



**VENOM
27.5X2.25**



**SPEED MASTER
27.5X2.00**



**ROCKET
27.5X2.10**

AUTHOR TIRES

Author tires for MTB, cross, trekking and road bicycles, slick or semi-slick tread pattern. Dual Compound technology – composition of hard compound on the top and soft, elastic compound on the sides, skinwall technology. Tires are puncture resistant and offer excellent, ride performance (low rolling resistance, side stability). Models SILK ROAD and ROLLING STONE are designed and produced for Author by Panaracer.



AUTHOR TIRE TUBES

High quality butyl inner tubes, supplied in boxes, in various sizes and with different types of valves.



www.author.eu
[www.facebook.com / Author.cz](https://www.facebook.com/Author.cz)

We reserve the right to change the technical specifications and colour solutions without notice.
© 2019 Universe Agency spol. s r. o.